Standard ECMA-208

December 1994

System-Independent Data Format

Standard ECMA-208

December 1994

System-Independent Data Format

(SIDF)

Brief History

The System Independent Data Format Association (SIDF) was formed in early 1993 by a consortium of industries. ECMA TC15 adopted the work of this committee in early 1994. The document was transformed into an ECMA Standard by ECMA TC15.

It is contributed to ISO/IEC JTC 1 for adoption as an International Standard under the fast-track procedure.

This ECMA Standard has been adopted by the ECMA General Assembly of December 1994.

Table of contents

Page

Section 1 - General	1
1 Scope	1
2 Conformance	1
2.1 Conformance of Media Volumes	1
2.2 Conformance of an originating system	1
2.3 Conformance of a receiving system	1
3 References	1
4 Definitions	1
4.1 Blank Space	1
4.2 byte	1
4.3 Byte Sequence	2
4.4 Field	2
4.5 Field Identifier (FID)	2
4.6 Field Table	2
4.7 File	2
4.8 file mark	2
4.9 File Set	2
4.10 Interleaved File Sets	2
4.11 Iterated Field Set	2
4.12 operating system	2
4.13 originating system	2
4.14 Relative Byte Position	2
4.15 receiving system	2
4.16 Sector	2
4.17 Sector Number	2
4.18 Source	3
4.18 standard for recording	3
4.20 Volume	3
4.21 Volume Set	3
4.22 Volume Set Sequence Number	3
5 General conventions and notations	3
5.1 Representation of numbers	3
5.2 Names	3
5.3 Structures	3
5.4 Fields	3
5.5 Field Identifiers (FIDs)	3
5.6 Field Tables	3
5.7 Headers	3
5.8 Indices	4
5.9 Structure description schema	4

Section 2 - Requirements for the media	5
6 Specific conventions and notations for the recorded format	5
6.1 Recording of numbers	5
6.2 Character sets and coding	5
6.3 Character set specification (CHAR SPEC)	5
6.3.1 Character Set Type	5
6.3.2 Character Set Information	6
6.4 CS0 character set	6
6.5 CS1 character set	6
6.6 CS2 character set	6
6.7 CS3 character set	6
6.8 CS4 character set	6
6.9 CS5 character set	6
6.10 CS6 character set	6
6.11 CS7 character set	6
6.11.1 Code extension characters	6
6.12 CS8 character set	7
6.13 Source Name Space specification	7
6.13.1 Name Space	7
6.14 NSO Name Space	8
6.15 NS1 Name Space	8
6.16 NS2 Name Space	8
6.17 NS3 Name Space	9
6.18 NS4 Name Space	9
6.19 NS5 Name Space	9
6.20 NSFC Name Space	10
6.21 NSFE Name Space	10
6.22 Strings	10
6.23 Resynchronization Pattern	10
7 Timestamp	10
7.1 Type and Time Zone (RBP 0)	10
7.2 Year (RBP 2)	11
7.3 Month (RBP 4)	11
7.4 Day (RBP 5)	11
7.5 Hour (RBP 6)	11
7.6 Minute (RBP 7)	11
7.7 Second (RBP 8)	11
7.8 Centiseconds (RBP 9)	11
7.9 Hundreds of microseconds (RBP 10)	11
7.10 Microseconds (RBP 11)	11
8 Requirements for a standard for recording	11
9 Cyclic Redundancy Check (CRC)	12
10 Organization of Information on a Volume	12
10.1 Recording of Sectors	12

10.2 Organization of a Volume	12
10.3 Volume Sets	12
10.4 Recording of Fields	14
10.4.1 Null Field	14
10.5 Recording of Field Tables	14
10.6 Recording of Buffers	14
10.7 Recording of file marks	15
11 Organization of Information within a File Set	15
11.1 Organization of a File Set	15
11.2 File Sets spanning multiple Volumes	17
11.3 Interleaving	17
12 Organization of information within a File	18
13 Field Table description	18
13.1 Volume Header Field Table	19
13.2 Volume Trailer Field Table	20
13.3 Blank Space Field Table	21
13.4 Buffer Header Field Table	21
13.5 Volume Index Field Table	23
13.6 Volume Subindex Field Table	24
13.7 File Set Header Field Table	24
13.8 File Set Continuation Header Field Table	27
13.9 File Set Index Field Table	27
13.10 File Set Subindex Field Table	20
13.12 File Header Field Table	31
13.13 File Continuation Header Field Table	31
13.14 File Information Field Table	32
13.15 File Data	33
13.15.1 Path Field Table	33
13.15.2 Characteristics Field Table	33
13.15.3 Source volume File Data	34
13.15.4 Source directory File Data	35
13.15.6 Transaction Set File data	30
13.15.7 Streams	38
13.16 Levels of partition interchange	41
13.16.1 Level 1 of partition interchange	41
13.16.2 Level 2 of partition interchange	41
14 Requirements for systems	41
14.1 Requirements for the description of systems	41
14.2 Requirements for an originating system	41
14.2.1 General	41
14.2.2 Mandatory access by user	41
14.2.5 Optional access by user 14.2.4 Volume characteristics	41
14.2.5 File Set characteristics	42

14.2.6 Recording of Bit Data 14.2.7 Cyclic Redundancy Check (CRC)	42 42
14.3 Requirements for a receiving system	43
14.3.1 General 14.3.2 Levels of conformance	43 43
Annex A - Structure of the Field Identifier	45
Annex B - Field Data Length Structure	49
Annex C - Field specification	51
Annex D - Numerical List of the Field Identifiers specified by this ECMA Standard	81
Annex E - Numerical List of Field Identifiers which are deprecated or not specified by this ECMA Standard	89

Section 1 - General

1 Scope

This ECMA Standard specifies a logical format for information interchange and secondary data storage. The format provides a system-independent data format (SIDF) for the representation of primary file system information. This information includes, among other things, data, attributes and characteristics. This ECMA Standard specifies

- the organization of the information on target media,
- requirements for originating and receiving systems for the processing of the information.

2 Conformance

2.1 Conformance of Media Volumes

A Volume shall be in conformance with this ECMA Standard if all information recorded on it meets the relevant requirements of sections 2 and 3 for the Level of partition claimed.

2.2 Conformance of an originating system

An originating system shall be in conformance with this ECMA Standard if it meets the requirements of 14.2.

2.3 Conformance of a receiving system

A receiving system shall be in conformance with this ECMA Standard if it meets the requirements of 14.3 for the Level of conformance claimed.

3 References

ECMA-6 (1991)	7-bit Coded Character Set
ECMA-35 (1994)	Code Extension Techniques
ECMA-94 (1986)	8-Bit Single-Byte Coded Graphic Character Sets - Latin Alphabets No. 1 to No. 4
ECMA-119 (1987)	Volume and File Structure of CD-ROM for Information Interchange
ECMA-167 (1994)	Volume and File Structure of Write-Once and Rewritable Media using Non-Sequential Recording for Information Interchange

ISO/IEC 9945-1:1990, Information technology - Portable operating system interface (POSIX) - Part 1: System Application Program Interface (API) [C Language]

ISO/IEC 10646-1:1993, Information technology - Universal multiple octet coded character set (UCS) - Part 1: Architecture and basic multilingual plane.

ISO/IEC 13800:1995, Information technology - Procedure for the registration of identifiers and attributes for volume and file structure.

ITU Rec. X.25: Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Terminals operating in the Packet Mode and connected to Public Data Networks by dedicated Circuits.

4 Definitions

For the purposes of this ECMA Standard, the following definitions apply.

4.1 Blank Space

Either one or more NULL Fields, or a BLANK SPACE Field Table.

4.2 byte

A string of eight binary digits operated upon as a unit.

4.3 Byte Sequence

An ordered set of bytes.

4.4 Field

The basic logical grouping of data.

4.5 Field Identifier (FID)

A Byte Sequence which identifies a Field.

4.6 Field Table

A set of logically associated Fields.

4.7 File

A collection of data that is stored as a single unit. A File contains a representation of a single primary file system entity, such as a Source directory, file, data base object, or data base.

4.8 file mark

A sector containing a control block used as a delimiter to facilitate positioning, as defined by the relevant standard for recording.

NOTE

Some media may not support file marks.

4.9 File Set

A set of associated Files, sourced from a single Source, recorded within a Volume Set.

4.10 Interleaved File Sets

Two or more File Sets are interleaved if any part of at least one is recorded between any parts of another.

4.11 Iterated Field Set

A sequence of one or more Fields, which may be repeated within a Field Table.

4.12 operating system

The software which controls the file system of the Source.

4.13 originating system

An information processing system which can create a File Set in a Volume Set for the purpose of data interchange with another system.

4.14 Relative Byte Position

Indicates the byte position in a number.

4.15 receiving system

An information processing system which can process a File Set of a Volume Set which has been created by another system for the purpose of data interchange.

4.16 Sector

The data field of the smallest addressable part of the medium that can be accessed independently of other addressable parts of the medium.

NOTE

This Sector is different from the physical sectors of a physical track.

4.17 Sector Number

The ordinal sequence number of a Sector within a Volume, starting with 0 (0, 1, 2, 3, ..., n).

4.18 Source

The primary system (e.g. file system, data base) which is the source of the Files that are recorded as a File Set for secondary storage. The name of the Source is specified for the File Set, and is not included in the Source path information of the individual Files.

4.19 standard for recording

A standard that specifies the recording method and the addressing method for the information recorded on a medium.

4.20 Volume

A set of Sectors which resides within one physical partition on a secondary storage medium.

4.21 Volume Set

One Volume, or multiple logically related Volumes.

4.22 Volume Set Sequence Number

The ordinal sequence number of each Volume within a Volume Set, starting with 1 (1, 2, 3, ..., n).

5 General conventions and notations

5.1 **Representation of numbers**

- Numbers in decimal notation are shown as decimal digits.
- Numbers in hexadecimal notation are shown as a sequence of hexadecimal digits preceded by #.
- The setting of bits is denoted by ZERO or ONE.
- Numbers in binary notation and bit combinations are represented by sequences of ZEROs or ONEs.
- Bit combinations are shown with the most significant bit to the left.
- Bits are indicated with the small letter b.
- Bytes are indicated with the capital letter B.

5.2 Names

The names of formally defined entities, such as a Volume, are shown with a capital initial.

The name of Fields, such as VOLUME HEADER, are written in capitals.

5.3 Structures

Data structures are shown in tables indicating the Relative Byte Position (RBP), purpose and size of the entities that comprise the structure.

5.4 Fields

Fields are denoted by names shown in capital letters.

5.5 Field Identifiers (FIDs)

A Byte Sequence in hexadecimal notation uniquely identifying a Field.

5.6 Field Tables

The name of a Field Table is that of its first Field, it is shown with capital initials. Field Tables list each Field with its name, its FID and a brief description of the data. The normative definition of each Field is specified in annex C. The Data Description reads "empty" if no Data part is included in the Field. Iterated Field Sets within a Field Table are shown indented, with a bar alongside. Nested Iterated Field Sets are shown with each inner level of nesting further indented than the outer level(s).

5.7 Headers

The term "File Set (Continuation) Header" is used to express: File Set Header and/or File Set Continuation Header. The term "File Record (Continuation) Header" is used to express: File Record Header and/or File Record Continuation Header.

5.8 Indices

The term "Volume (Sub)Index" is used to express: Volume Index and/or Volume Subindex. The term "File Set (Sub)Index" is used to express: File Set Index and/or File Set Subindex.

5.9 Structure description schema

Requirements for recording the different elements of the format are summarized by means of a structure description.

A structure shall be a sequence of terms. A term shall be either:

- a name, enclosed by [], followed by a definition enclosed by {}, or
- a name, enclosed by <>, of a term defined in the structure or of a descriptor defined elsewhere in this ECMA Standard in the text associated with the structure.

Within a definition enclosed by {}, the Or Operator and Repetition Operators may be applied to the terms therein.

The Or Operator is represented by the character VERTICAL LINE: |. It is placed between the terms to which it applies and indicates that either term, but not both simultaneously, is valid at that point in the definition.

There are three Repetition Operators, which shall be interpreted as shown in figure 1, where n and m are decimal digits.

Repetition Operator Interpretation	
п	<i>n</i> occurrences of the preceding term
n+	n or more occurrences of the preceding term
n+m	<i>n</i> to <i>m</i> occurrences of the preceding term

Figure 1 - Repetition Operators

The Repetition Operators shall apply only to the preceding term.

The operators are listed in increasing order of precedence:

repetition operator [] ()

Higher precedence operators shall be applied before lower precedence operators.

As an example, the schema shown in figure 2 specifies that the entity "Concert" shall be organized as zero or one Introduction, followed by one or more Pieces, an Intermission, one or more Pieces, and zero or more Encores. A Piece consists either of one Song or three to five Movements.

Figure 2 - Example of the syntax of the structure description schema

Section 2 - Requirements for the media

6 Specific conventions and notations for the recorded format

6.1 Recording of numbers

- In each Field the information is recorded so that the least significant byte (denoted byte B0) is recorded first. Within each byte the least significant bit is denoted bit b0, the most significant bit is denoted b5, and is recorded first. This order of recording also applies to the data input of the cyclic redundancy code (CRC) and to its output (CRC bits).
- Negative values are recorded in TWO's complement notation.

6.2 Character sets and coding

Except as specified in this clause and in 6.13, the characters used in the Fields specified by this ECMA Standard shall be coded according to the International Reference Version (IRV) of ECMA-6. The CS4 character set described in 6.8 shall be the default character set, and shall be used if no other is explicitly specified. The specification of the characters allowed in these Fields and the method of recording shall be recorded as a CHAR SPEC Field (see 6.3).

NOTE

Support for a variety of character sets is a requirement of this ECMA Standard. Ideally, there should be only one character standard used. In practice, several standards, including ECMA-6, ECMA-35, ECMA-94 and ISO/IEC 10646-1 are used. This ECMA Standard accommodates current practice by specifying several character sets and providing a mechanism for specifying other character sets.

As an example, CS2 (see 6.6) uses the IRV of ECMA-6 as the basic character set but restricts Fields containing characters to a widely usable subset of this character set.

6.3 Character set specification (CHAR SPEC)

The data part of the CHAR SPEC Field consists of two parts, Character Set Type and Character Set Information, recorded as a sequence of bytes. The Character Set Type shall be recorded as the first byte of the sequence; the Character Set Information shall consist of any remaining bytes.

The set of characters allowed in certain Fields and/or Field Tables shall be specified by a one-byte Character Set Type, and additional Character Set Information appended immediately after as needed.

6.3.1 Character Set Type

The Character Set Type identifies the allowed set of characters as shown in figure 3.

Туре	Allowed characters	
0	The CS0 coded character set (see 6.4).	
1	The CS1 coded character set (see 6.5).	
2	The CS2 coded character set (see 6.6).	
3	The CS3 coded character set (see 6.7).	
4	The CS4 coded character set (see 6.8).	
5	The CS5 coded character set (see 6.9).	
6	The CS6 coded character set (see 6.10).	
7	The CS7 coded character set (see 6.11).	
8	The CS8 coded character set (see 6.12).	
9 to 255	Reserved for future standardization	

Figure 3 -	· Sets of	allowed	characters
------------	-----------	---------	------------

The interpretation of the contents of this field, if any, is specified by the value of the Character Set Type as described in 6.4 to 6.12.

6.4 CS0 character set

The CS0 character set shall be subject to agreement between the originator and recipient of the medium.

The character set is undefined for interchange. However, the agreed character set can be identified in the Character Set Information, if so desired.

6.5 CS1 character set

The CS1 character set shall be the graphic characters of the character sets specified by the Character Set Information Field.

The Character Set Information Field shall specify one or more escape sequences, to be used in an 8-bit environment according to ECMA-35 that designate and implicitly invoke graphic character sets specified in ISO/IEC 10646-1. These sequences shall be recorded contiguously from the start of the Field.

6.6 CS2 character set

The CS2 character set shall be the 38 characters in positions 02/14, 03/00 to 03/09, 04/01 to 05/10, and 05/15 of the IRV of ECMA-6.

NOTE

These characters are: FULL STOP, DIGITs, LATIN CAPITAL LETTERs and LOW LINE.

6.7 CS3 character set

The CS3 character set shall be the 65 characters in positions 02/13 to 02/14, 03/00 to 03/09, 04/01 to 05/10, 05/15, and 06/01 to 07/10 of the IRV of ECMA-6.

NOTE

These characters are: HYPHEN-MINUS, FULL STOP, DIGITS, LATIN CAPITAL LETTERS, LATIN SMALL LETTERS and LOW LINE.

6.8 CS4 character set

The CS4 character set shall be the 95 characters in positions 02/00 to 07/14 of the IRV of ECMA-6.

6.9 CS5 character set

The CS5 character set shall be the 191 characters in positions 02/00 to 07/14 and 10/00 to 15/15 of Latin Alphabet No. 1 in ECMA-94.

6.10 CS6 character set

The CS6 character set shall be the graphic characters of the character sets specified by the Character Set Information Field.

The Character Set Information field shall specify one or more escape sequences according to ECMA-35 that designate and implicitly invoke the graphic character sets to be used in an 8-bit environment according to ECMA-35 or ISO/IEC 10646-1. These sequences shall be recorded contiguously from the start of the Field.

6.11 CS7 character set

The CS7 character set shall be the graphic characters of the character sets specified by the Character Set Information Field and code extension characters (see 6.11.1).

The Character Set Information field shall specify one or more escape sequences according to ECMA-35 that designate and implicitly invoke the graphic character sets to be used in an 8-bit environment according to ECMA-35 or ISO/IEC 10646-1. These sequences shall be recorded contiguously from the start of the field.

6.11.1 Code extension characters

Characters specified by the CS7 Character Set may include one or more of the following, referred to as code extension characters, to allow alternative character sets to be recorded.

- Escape sequences according to ECMA-35 or ISO/IEC 10646-1
- Shift functions according to ECMA-35

6.12 CS8 character set

The CS8 character set shall be the 53 characters in positions 02/01, 02/03 to 02/09, 02/13 to 02/14, 03/00 to 03/09, 04/00 to 05/10, 05/14 to 06/00, 07/11 and 07/13 to 07/14 of the IRV of ECMA-6.

NOTE

These characters are: EXCLAMATION MARK, NUMBER SIGN, DOLLAR SIGN, PERCENT SIGN, AMPERSAND, APOSTROPHE, LEFT PARENTHESIS, RIGHT PARENTHESIS, HYPHEN-MINUS, FULL STOP, DIGITS, LATIN CAPITAL LETTERS, CIRCUMFLEX ACCENT, LOW LINE, GRAVE ACCENT, LEFT CURLY BRACKET, RIGHT CURLY BRACKET, TILDE.

6.13 Source Name Space specification

The Source or originating system shall indicate the properties of path name information that is associated with a Source file or similar entity by the Field NAME SPACE. In some contexts other Fields may also use the same Name Space information, for example RESOURCE NAME SPACE in the File Set Header. The Name Space specifies the following characteristics of the file name:

- **Path element character set restrictions**: The characters used in the Source file path name shall be contained within this set.
- **Path element length restrictions**: Each element of the path name shall consist of at least one character, and shall not be longer than the number of characters specified.
- Total path length restriction: The entire path shall not be longer than the number of characters specified.
- Path ordering (parent-first or child-first): For complete paths in hierarchical file systems, if the parent-first path ordering is used, the parent node closest to the root shall be listed first, followed by its immediate child, and proceeding so forth to the path element furthest from the root. If the child-first path ordering is used, the node furthest from the root shall be listed first, followed by its immediate parent, and proceeding so forth to the path element nearest to the root.
- Case-sensitive: A CAPITAL LETTER is considered different from the corresponding SMALL LETTER.
- **Case retention**: A CAPITAL LETTER and the corresponding SMALL LETTER are stored and displayed distinctly.
- Separators: In the full path name, the separator(s) between any two elements of the path name.
- **Special requirements**: Any other characteristics not reflected above. For example, whether restrictions apply to the character FULL STOP (#2E), regarding its position or frequency of use in a path element name.

6.13.1 Name Space

Name Spaces shall be identified by an unsigned hexadecimal number. The Name Spaces specified by this ECMA Standard are shown in figure 4.

Identifier	Name Space	
#00	The NS0 Name Space (see 6.14).	
#01	The NS1 Name Space (see 6.15).	
#02	The NS2 Name Space (see 6.16).	
#03	The NS3 Name Space (see 6.17).	
#04	The NS4 Name Space (see 6.18).	
#05	The NS5 Name Space (see 6.19).	
#FFFFFFFC	The NSFC Name Space (see 6.20).	
#FFFFFFE	The NSFE Name Space (see 6.21).	

Figure 4 - Defined Name Spaces

6.14 NS0 Name Space

Path element character set restrictions: Characters of the NS0 Name Space path elements shall be members of the CS8 Character Set.

Path element length restrictions: A path element shall contain at most 12 characters. A path element shall not contain more than one FULL STOP. A path element shall contain at most 8 characters before a FULL STOP and at most 3 characters after a FULL STOP. If a path element does not contain a FULL STOP, that path element shall contain at most 8 characters.

Total path length restriction: No total path length restrictions shall apply.

Path ordering: The parent path element(s) of a complete (i.e. not relative) path shall be recorded before the child element.

Case-sensitive: FALSE.

Case retention: FALSE.

Separators: The separator between the first two elements of a complete path shall be COLON. The separator between all subsequent elements of the path shall be SOLIDUS.

Special requirements: A path element shall not contain more than one FULL STOP character. The first element of a complete path shall be a Source volume Name.

NOTE

This Name Space may be associated with file systems of many personal computers. In some implementations the total path length is restricted to 256 characters, and the use of longer paths may yield unpredictable results. In some implementation the characters represented by #21, #23 to 29, #2D, #2E, #7D and #7E may not be supported, and their use may yield unpredictable results.

6.15 NS1 Name Space

Path element character set restrictions: Bytes #00 and #3A are not allowed for the NS1 Name Space path elements.

Path element length restriction: Each path element shall contain at most 32 characters.

Total path length restrictions: No total path length restrictions shall apply.

Path ordering: The parent path element(s) of a complete path shall be recorded before the child element.

Case-sensitive: TRUE.

Case retention: TRUE.

Separators: The separator between the first two elements of a complete path shall be two adjacent COLONs. The separator between all subsequent elements of the path shall be COLON.

Special requirements: The first element of a complete path shall be a Source volume Name.

6.16 NS2 Name Space

Path element character set restrictions: Characters of the NS2 Name Space path elements shall be represented by any single byte, except #00, #2F, #3A.

Path element length restriction: Each path element shall contain at most 300 characters.

Total path length restrictions: No total path length restrictions shall apply.

Path ordering: The parent path element(s) of a complete path shall be recorded before the child element.

Case-sensitive: TRUE.

Case retention: TRUE.

Separators: The separator between the first two elements of a fully qualified path shall be COLON. The separator between all subsequent elements of the path shall be SOLIDUS.

Special requirements: The first element of a complete path shall be a Source volume Name.

6.17 NS3 Name Space

Path element character set restrictions: Characters of the NS3 Name Space path elements shall be represented by any single byte within one of the following ranges: #01 to #2E, #30 to #39, #3B to #7E.

Path element length restriction: Each path element shall contain at most 255 characters.

Total path length restrictions: No total path length restrictions shall apply.

Path ordering: The parent path element(s) of a complete path shall be recorded before the child element.

Case-sensitive: TRUE.

Case retention: TRUE.

Separators: The separator between the first two elements of a complete path shall be COLON. The separator between all subsequent elements of the path shall be SOLIDUS.

Special requirements: The first element of a complete path shall be a Source volume Name.

6.18 NS4 Name Space

Path element character set restrictions: Characters of the NS4 Name Space path elements shall be represented by any single byte within one of the following ranges: #21 to #2E, #30 to #5B, #5D to #FF.

Path element length restriction: Each path element shall contain at most 300 characters.

Total path length restrictions: No total path length restrictions shall apply.

Path ordering: The parent path element(s) of a complete path shall be recorded before the child element.

Case-sensitive: FALSE.

Case retention: TRUE.

Separators: The separator between the first two elements of a complete path shall be COLON. The separator between all subsequent elements of the path shall be SOLIDUS.

Special requirements: The first element of a complete path shall be a Source volume Name.

6.19 NS5 Name Space

Path element character set restrictions: Characters of the NS5 Name Space path elements shall be represented by any single byte within one of the following ranges: #30 to #39, #40 to #5A, #5E to #60, #7B, #7D to #FF.

Path element length restriction: Each path element shall contain at most 256 characters.

Total path length restrictions: No total path length restrictions shall apply.

Path ordering: The parent path element(s) of a complete path shall be recorded before the child element.

Case-sensitive: FALSE.

Case retention: TRUE.

Separators: The separator between the first two elements of a complete path shall be COLON. The separator between all subsequent elements of the path shall be SOLIDUS.

Special requirements: The first element of a complete path shall be a Source volume Name.

NOTE

In some implementations the total path length is restricted to 256 characters, and use of longer paths may yield unpredictable results.

6.20 NSFC Name Space

Path element character set restrictions: Characters of the NSFC Name Space path elements shall be represented by any single byte within one of the following ranges: #0 to #2A, #2C to #2D, #2F to #3C, #3E to #5B, #5D to #FF.

Path element length restriction: Each path element shall contain at most 256 characters.

Total path length restrictions: The total path shall contain at most 256 characters.

Path ordering: The child element of a complete path shall be recorded before the parent path element(s).

Case-sensitive: FALSE.

Case retention: TRUE.

Separators: The separator between all path elements shall be FULL STOP.

6.21 NSFE Name Space

Name Space NSFE shall be used to indicate that the characteristics associated with the Name Space shall be determined by the Source, and are not specified by this ECMA Standard.

6.22 Strings

A string shall be recorded as a sequence of zero or more non-NULL characters, followed by a NULL character.

6.23 Resynchronization Pattern

The Resynchronization Pattern shall be the two-byte Byte Sequence #A55A.

7 Timestamp

A Timestamp specifies a date and time recorded in the format shown in figure 5. If the Year field has the value 0 the Timestamp shall be ignored; all other Fields in Timestamp shall be set to all ZEROs. Timestamps are established by the originating system and/or the Source. The accuracy of Timestamps is not specified by this ECMA Standard. If a Timestamp is recorded in a Field the Data part of which is longer than 12 bytes, the Timestamp shall be recorded first, and all subsequent bytes shall be recorded as NULL(s).

RBP	Name	Representation
0	Timestamp type and time zone	16-bit integer
2	Year	16-bit integer
4	Month	8-bit integer
5	Day	8-bit integer
6	Hour	8-bit integer
7	Minute	8-bit integer
8	Second	8-bit integer
9	Centisecond	8-bit integer
10	Hundreds of microseconds	8-bit integer
11	Microseconds	8-bit integer

Figure 5 - Timestamp format

7.1 Type and Time Zone (RBP 0)

The most significant 4 bits of this integer, interpreted as a 4-bit number, shall specify the interpretation of the Timestamp.

- the value 0 shall indicate that the Timestamp specifies Coordinated Universal Time, timeZone shall be all ZEROs.
- the value 1 shall indicate that the Timestamp specifies local time.

- the value 2 shall indicate that the interpretation of the Timestamp is subject to agreement between the originator and recipient of the medium.
- no other value shall be recorded.

The least significant 12 bits of this field, interpreted as a signed 12-bit number in TWO's complement form, shall be interpreted as follows:

- if the value is in the range -1440 to 1440, then the value specifies the offset, in minutes, of the date and time from Coordinated Universal Time.
- if the value is -2047, this shall mean that no such offset is specified.
- no other values shall be recorded.

7.2 Year (RBP 2)

This field shall specify the year as a number in the range 1 to 9999.

7.3 Month (**RBP 4**)

This field shall specify the month of the year as a number in the range 1 to 12.

7.4 Day (RBP 5)

This field shall specify the day of the month as a number in the range 1 to 31.

7.5 Hour (RBP 6)

This field shall specify the hour of the day as a number in the range 0 to 23.

7.6 Minute (RBP 7)

This field shall specify the minute of the hour as a number in the range 0 to 59.

7.7 Second (RBP 8)

If the value of the Type field is 2, then this field shall specify the second of the minute as a number in the range 0 to 60. Otherwise, this field shall specify the second of the minute as a number in the range 0 to 59.

7.8 Centiseconds (RBP 9)

This field shall specify the hundredths of the second as a number in the range 0 to 99.

7.9 Hundreds of microseconds (RBP 10)

This field shall specify the hundreds of microseconds as a number in the range 0 to 99.

7.10 Microseconds (RBP 11)

This field shall specify the microseconds as a number in the range 0 to 99.

8 Requirements for a standard for recording

The media for recording shall meet the following requirements of a standard for recording.

The standard for recording shall specify:

- a unique physical address for each sector;
- the length of each sector;
- the means for determining whether a sector is rewritable or not;
- for media where sectors may only be recorded once, a means for detecting whether a sector has not yet been recorded;
- whether sectors or groups of sectors may require pre-processing prior to recording;
- a method for recording and detecting file marks, if file marks are supported.

The standard for recording used in conjunction with this ECMA Standard is subject to agreement between the originator and recipient of the medium.

9 Cyclic Redundancy Check (CRC)

A Cyclic Redundancy Check (CRC), where implemented, shall be computed in accordance with ITU Rec. X.25. CRC shall use the generating polynomial $x^{32} + x^{26} + x^{23} + x^{22} + x^{16} + x^{12} + x^{11} + x^{10} + x^8 + x^7 + x^5 + x^4 + x^2 + x + 1$. CRC shall use the seed value -1. CRC generates a 32-bit output.

10 Organization of Information on a Volume

10.1 Recording of Sectors

The physical sectors of a Volume shall be organized into logical Sectors of equal length. Sectors shall have a length of 2^{n+8} bytes, where *n* is an positive integer (i.e. Sector lengths of 512, 1024, 2048, 4096, ...). Each Sector of a Volume shall be identified by a unique Sector Number. Sector Number 0 shall be assigned to the Sector at the start of the Volume Header. This is not necessarily the sector with the lowest physical address of the partition.

10.2 Organization of a Volume

A Volume is a set of Sectors. The lowest numbered Sectors of the Volume, referred to as the Volume Preamble, shall contain only a Volume Header and zero or more File Set Continuation Headers. The remaining Sectors of the Volume, up to, but not including, the Volume Postamble, shall be referred to as the Volume Data Space of the Volume. Volume Data Space shall consist of File Sets (see clause 11) and, optionally, Volume Indices (see 13.5).

The Volume Postamble may contain one File Set Subindex and/or one Volume Set Subindex. If it contains both, the File Set Subindex shall precede the Volume Set Subindex. The Volume Postamble shall end with the Volume Terminator. The Volume Terminator shall be either a Volume Trailer, the physical end-of-partition, or the end of recorded data, which ever occurs at the lower numbered Sector. No more than one Volume shall be recorded in one physical partition.

NOTE

Because a Volume, as specified by this ECMA Standard, need not be located at the physical start of the partition, a Volume may be preceded by other information. The presence of such prefixed information is restricted to media at Level 2 of medium interchange (see 14.2).

Figure 6 summarizes the requirements for recording Volumes.

[Volume]	{ [Volume	Preamblel {	
	[]]]]	110000000000000000000000000000000000000	<volume header=""></volume>
			<file continuation="" header="" set=""> 0+</file>
	<volume< td=""><td>Data Space></td><td></td></volume<>	Data Space>	
	[Volume	Postamble]	
			<file set="" subindex=""> 0+1</file>
			<volume set="" subindex=""> 0+1</volume>
			[Volume Terminator] {
			<volume trailer=""></volume>
			<pre><pre>physical end-of-recorded-data></pre></pre>
			<physical end-of-partition=""></physical>
			}
			}
1	ł		

Figure 6 - Schema for Volumes

10.3 Volume Sets

A Volume Set shall consist of one or more Volumes having a Volume Set Label common to all Volumes.

The Volumes in a Volume Set shall be numbered ordinally (1, 2, 3, ..., n), their numbers constitute their Volume Set Sequence Numbers. All occurrences of Volume Set Time within a Volume Set shall be equivalent. The ordered concatenation of the Volume Data Spaces of the Volumes of a Volumes Set constitutes the Volume Set Data Space.

NOTE

Volumes within a Volume Set may be of different physical media types.

File Set(s) shall be recorded within the Volume Set Data Space of a Volume Set. A Volume Index is optional, but if present shall be recorded within the Volume Set Data Space, immediately following a File Set.

Figure 7 summarizes the requirements for recording Volume Set Data Space.



Figure 7 - Schema for Volume Set Data Space

Figure 8 to figure 10 show examples of the layout of the Volume organization.



Volume HeaderFirst File SetSecond File SetVolume Index (optional)Volume Trailer(space unavailable to Volume)(physical end of partition)

Figure 8 - Simplified view of a Volume

Two File Sets are recorded on the Volume, further File Sets can be appended.

Figure 9 - Simplified view of a Volume

Two File Sets are recorded on the Volume, no further File Sets can be appended without overwriting the Volume Trailer.



Figure 10 - Simplified view of a Volume Set, the Third File Set of which spans from one Volume to the next.

10.4 Recording of Fields

All data in the Volume, except for Streams (see 13.15.6), shall be expressed in Fields. A Field shall consist of a Field Identifier (FID) (see annex A), and may contain a Data Length part and a Data part.

Certain FIDs specify the length of the data implicitly, in which case the Data Length part shall be omitted. For all other FIDs, the Data Length part shall be present immediately after the FID. If data is present in the Field, the Data part of the Field shall immediately follow the Data Length part if present, or shall follow the FID if the Data Length part is omitted. The formal definition of each type of Field is specified in annex C.

FID	Data length	Data
-----	-------------	------

Figure 11 - Parts of a Field

Fields contained in Buffer(s) shall have both their FID and Data length part recorded entirely within a single Buffer.

10.4.1 NULL Field

The NULL Field shall consist only of its FID which consists of the single byte #00. It has no meaning, and functions merely as a placeholder.

10.5 Recording of Field Tables

A Field Table is a sequence of Fields. All Fields shall be recorded in Field Tables, except when the Null Field is used as Blank Space (see 13.3). A Field Table shall start and end with Fields identified by the same FID. The Data part of the first Field shall consist of the Resynchronization Pattern. The Data part of the last Field shall either contain CRC bits or be empty, as indicated by the Data Length part of this last Field. This Field shall not appear elsewhere in the Field Table. Each Field Table is given the name of its first Field. If the OFFSET TO END Field is included in a Field Table, it shall be the second Field.

Any set of Fields specified as an Iterated Field Set may be repeated within the Field Table. Each iteration is identified by the first Field listed in the Iterated Field Set.

Except for the first and last Field, OFFSET TO END, and any restrictions on Iterated Field Sets, or otherwise specified, Fields may be in any order within the Field Table; they need not be in the order shown in examples.

If the CRC bits are computed, they shall be calculated over the whole Field Table, except the last Field.

10.6 Recording of Buffers

All information recorded in a Volume, except

Volume Header File Set Continuation Header(s) File Set Header(s) File Set Trailer(s) file mark(s) and Volume Trailer

shall be recorded within Buffers. A Buffer is a set of one or more contiguous Sectors. Buffers shall begin and end at Sector boundaries. A Buffer shall begin with a Buffer Header Field Table immediately followed by one of the following types of data: File, File Set Index, File Set Subindex, Volume Index, Volume Subindex, or implementation-use. If the above data does not occupy the entire Buffer, the remainder shall be padded with Blank Space (see 13.3).

The part of the Buffer between the Buffer Header and any ending Blank Space shall be referred to as Buffer Data Space.

A Buffer shall be contained entirely within one Volume. If a Buffer cannot be recorded in its entirety within the remaining space of a Volume, it shall be recorded again in its entirety on the next Volume of the Volume Set immediately after the Volume Preamble of the next Volume (see 11.2). A Buffer shall not be repeated in any other instance.

Figure 12 summarizes the requirements for recording Buffers.

Figure 12 - Schema for a Buffer

10.7 Recording of file marks

The use of file marks shall be specified for each Volume by the Volume Header. The FILE MARK USAGE Field of the Volume Header specifies whether file marks shall be recorded

- before File Set Headers (see 11.1), except those that immediately follow either the Volume Preamble or other File Set Header(s) that immediately follow the Volume Preamble, and/or
- before File Set Trailers (see 11.1), and/or
- at specified regular intervals (see annex C: FILE MARK INTERVAL).

Once established by the originating system which records the Volume Header, file mark usage shall be maintained by any system(s) that record subsequent data in the Volume.

A file mark shall occupy one Sector. Contiguous file marks shall not be recorded. Other types of media marks, for example set marks, shall not be recorded. A file mark shall not be recorded within a Volume in any location other than those locations specified in the FILE MARK USAGE Field of the Volume Header.

11 Organization of Information within a File Set

11.1 Organization of a File Set

This ECMA Standard specifies a recording methodology for information interchange and secondary data storage. As such, the data recorded in a File Set may be considered a representation of information of all or part of a primary storage file system, referred to as the Source. Any group of Files from a single Source may be recorded together as a File Set. A File Set shall reside within the Volume Set Data Space. A File Set shall begin with a File Set Preamble, contain zero or more Buffers, and end with a File Set Postamble.

The File Set Preamble shall contain only the File Set Header, and a file mark when required by the Volume Header, as specified in 10.7.

The Volume Header of the Volume containing the start of the File Set Postamble shall specify whether a file mark is to be recorded before the File Set Trailer. If so, the Postamble shall begin with a file mark and the File Set Trailer shall be recorded in the next Sector of the Volume. If not, the Postamble shall begin with the File Set Trailer. The File Set Postamble shall contain nothing after the File Set Trailer, unless the File Set Header specifies that a File Set Index shall be recorded. In this case the File Set Index shall be recorded, within Buffer(s), in the next Sectors of the Volume Data Space containing the File Set Trailer is encountered before the remainder of the File Set Postamble (i.e. File Set Index Buffers) can be completely recorded, the Volume Data Space shall span onto the next Volume in the Volume Set. In that case, the remainder of the File Set Postamble shall be recorded at the beginning of the next Volume Data Space, immediately after its Volume Preamble.

Figure 13 summarizes the requirements for recording File Sets.

Figure 13 - Schema for File Sets

File Set Indices are optional. A File Set Index shall list all Files contained in the File Set, with their Volume and Sector Number. The File Set Index shall be contained within one or more Buffers.

File Sets that span multiple Volumes shall meet the requirements of 11.2. A File Set Preamble, the File Set Buffer(s) and the File Set Postamble need not be physically adjacent to each other. This allows interleaving of different File Sets.

A File Set Header, Continuation Headers, Buffers and Trailer shall all have the same File Set ID, File Set Time, File Set Label, Source Name Type, Source Name, Source operating system, and Source operating system version information, if recorded. If one or more Registered Identifiers are recorded in a File Set Header, they shall be re-recorded in all File Set Continuation Headers of that File Set.

Figures 14 and 15 show examples of the layout of the File Set organization.



Figure 14 - Simplified view of a Volume containing two File Sets

Volume Header
First File Set Header
First File Set Buffers
First File Set Trailer
Second File Set Header
Second File Set Buffers
(physical end of partition)



Figure 15 - Simplified view of a Volume Set containing two File Sets. The second File Set spans from the first Volume to the second Volume.

11.2 File Sets spanning multiple Volumes

A File Set shall be considered to span multiple Volumes if parts of the File Set are recorded on two or more Volumes of a Volume Set.

The Volume Set Sequence Numbers of all Volumes of the File Set shall form a consecutive ascending sequence. If the originating system deems that a Buffer of a File Set could not be written in its entirety before the end of a Volume, the entire Buffer shall be recorded immediately after the Volume Preamble of the Volume having the next greater Volume Set Sequence Number.

NOTE

In case of spanned Volumes a Buffer may be completely duplicated on the next Volume. The BUFFER SEQUENCE is the same in both instances. In this case the Buffer on the previous Volume is ignored.

A File Set Continuation Header shall be recorded within the Volume Preamble of all Volumes of the Volume Set after the Volume containing the File Set Header, up to and including the Volume containing the last Sector of the File Set Postamble.

11.3 Interleaving

Interleaving of File Set Preambles, File Set Postambles and File Set Buffers from different File Sets within the Volume Data Space is allowed. The FILE SET ID in each of these File Set entities indicates the File Set to which the entity belongs. The elements within each of these entities shall be logically contiguous.

The Buffers of a Volume Index shall be logically contiguous. A Volume Index shall be logically contiguous with the File Set Postamble that precedes it.

BUFFER SEQUENCE numbers shall be increased on an intra-File Set basis. Thus the interleaving of Buffers from other File Sets does not affect the BUFFER SEQUENCE numbers within a File Set. BUFFER ADDRESSes shall be maintained on an inter-File Set basis. Thus the interleaving of Buffers from other File Sets affects the addresses of subsequent Buffers of all File Sets.

Once a File Set Header has been recorded, the File Set shall be considered pending until the File Set Postamble is recorded. If any interleaved File Sets are pending in a Volume, File Set Continuation Headers for all such File Sets shall be recorded in the Volume Preamble of the next Volume of the Volume Set immediately following the Volume Header.

If a File Set has a File Set Index recorded, the Index shall be recorded immediately after the File Set Trailer within the Volume Set Data Space. Thus, no interleaving occurs within a File Set Postamble.

12 Organization of information within a File

Files and their Headers are contained within Buffer Data Space. A File shall consist of File Information and File Data, pertaining to a single entity from the Source. Each File shall be preceded by a File Header which specifies the type of file and the number of bytes of the File contained in the current Buffer. If the File does not fit entirely within a Buffer, it shall continue in the Buffer Data Space of the subsequent Buffer. In that Buffer, after the Buffer Header, a File Continuation Header shall be recorded, followed by more data of the File. This shall continue as needed until the entire File is recorded.

File Information shall be recorded as a single Field Table, specifying the attributes of the File. File Data (see 13.15) shall be recorded as a series of Field Tables, including path, characteristics, and the various Streams of the File. Additional Field Tables associated with the File may be recorded within the File Data.

Figure 16 summarizes the requirements for recording Files.

```
[File] {
<File Information>
[File Data]
              ł
           <Header>
           <Path>
           <Characteristics>
           [Additional information associated with File] {
                      [Stream]
                                              <Stream Header>
                                              <Stream>
                                              <Stream Trailer>
                       <non-Stream information associated with File>
                                                            ł
                                                             0+
       <Trailer>
              }
 }
```

Figure 16 - Schema for Files

13 Field Table description

Field Tables consist of a number of mandatory Fields and any number of additional Fields deemed necessary for the application considered. In the following description, the mandatory Fields are specified. An example of a Field Table with additional Fields is given for illustration purposes. For each Field is indicated whether it is mandatory (Yes), not mandatory (No), or mandatory depending on a condition (Cond.).

13.1 Volume Header Field Table

In each Volume, the Volume Header Field Table is mandatory and shall be recorded beginning at the start of the first Sector of the Volume. This Sector need not be physically the first sector in the media partition. The Sector in which the Volume Header begins shall have Sector Number 0. If the Volume Header Field Table does not end exactly at a Sector boundary, the unused part of its last sector shall be padded with Blank Space.

The following ten Fields are mandatory in the Volume Header Field Table:

VOLUME HEADER OFFSET TO END FORMAT VERSION SECTOR SIZE VOLUME SET TIME VOLUME TIME VOLUME SET LABEL VOLUME SET SEQUENCE VOLUME INDEX REQUIRED FILE MARK USAGE

If bit b2 in FILE MARK USAGE is set to ONE, signifying that file marks are to be used at regular intervals, the FILE MARK INTERVAL Field shall be present.

Figure 17 shows an example of a Volume Header Field Table.

Field Name	FID	Mandatory	Data Description
VOLUME HEADER	#808000	Yes	Resynchronization Pattern
OFFSET TO END	#01	Yes	Bytes from start of next Field to start of last Field
FORMAT NAME	#8052	No	The bytes sequence "SIDF"
FORMAT VERSION	#8062	Yes	Major, minor and subminor version number
SECTOR SIZE	#80800E	Yes	512, 1024, 2048, 4096, bytes
VOLUME SET TIME	#80F400	Yes	Timestamp of Volume Set creation
VOLUME TIME	#80F401	Yes	Timestamp of Volume creation
CHAR SPEC	#808040	No	Character type specification
REGISTERED IDENTIFIER	#808043	No	ID for extension to Standard, scope: this Volume
VOLUME SET LABEL	#808030	Yes	User-defined string, same for all Volumes in Set
VOLUME SET SEQUENCE	#80F100	Yes	Position of Volume within the Volume Set (1,2,3)
CHAR SPEC	#808040	No 1)	Character type specification
VOLUME SET ALIAS	#808041	No 1)	User-defined string
VOLUME LABEL	#808027	No	Implementation use string
PARTITION NUMBER	#808012	No	Physical partition number of this Volume
VOLUME SIZE	#80F201	No	Capacity in sectors of the Volume (informative)
VOLUME INDEX REQUIRED	#80802F	Yes	Whether Volume Index is always at EOD
VOLUME INDEX LOCATION	#808042	No	Sector Number of last Volume Index on Volume
FILE MARK USAGE	#808020	Yes	Where file marks are recorded
FILE MARK INTERVAL	#808028	Cond.	Sectors between file marks recorded at regular intervals
VOLUME HEADER WRITE COUNT	#80F104	No	Number of times a Volume Header has been written to this physical partition.
AUTHENTICATION	#8002	No	Volume password
EXPIRATION TIME	#80F404	No	Timestamp of Volume expiration (informative)
DEVICE INFO	#808032	No	User-defined string
VOLUME HEADER	#808000	Yes	CRC value or empty

Note to figure 17

1) These Fields form an Iterated Field Set. This set may be used to specify zero or more VOLUME SET ALIASes which may utilize differing Character Specifications. It is recommended that the use of VOLUME SET ALIASes be consistent across a Volume Set.

Figure 17 - Example of a Volume Header Field Table

13.2 Volume Trailer Field Table

In each Volume, the Volume Trailer Field Table is not mandatory. If present, it shall be recorded beginning at the start of the last Sector of the Volume. If the Volume Trailer Field Table does not end exactly at a Sector boundary, the unused part of its last sector shall be padded with Blank Space.

The VOLUME TRAILER Field is the only mandatory Field of the Volume Trailer Field Table. Figure 18 shows an example of a Volume Trailer Field Table.

Field Name	FID	Mandatory	Data Description
VOLUME TRAILER	#808003	Yes	Resynchronization Pattern
CLOSE TIME	#80F402	No	Timestamp when Volume Trailer written
VOLUME TRAILER	#808003	Yes	CRC value or empty

Figure 18 - Example of a Volume Trailer Field Table

13.3 Blank Space Field Table

In each Volume, the Blank Space Field Table is not mandatory. If present, it shall be used, space permitting:

- after all Field Tables not contained in Buffers, to pad to the next sector boundary, and
- at the end of Buffers.

The BLANK SPACE Field and the OFFSET TO END Field are mandatory in the Blank Space Field Table. The only additional Field allowed in the Blank Space Field Table is the NULL Field. Figure 19 shows an example of a Blank Space Field Table.

Field Name	FID	Mandatory	Data Description
BLANK SPACE	#808019	Yes	Resynchronization Pattern
OFFSET TO END	#01	Yes	Bytes from start of next Field to start of last Field
NULL Field	#00	Cond.	Empty
BLANK SPACE	#808019	Yes	CRC value or empty

Figure 19 - Example of a Blank Space Field Table

13.4 Buffer Header Field Table

In each Volume, the Buffer Header Field Table is mandatory and shall be recorded at the start of each Buffer, it specifies characteristics of that Buffer. The following six Fields are mandatory in the Buffer Header Field Table:

BUFFER HEADER OFFSET TO END BUFFER TYPE BUFFER SIZE BUFFER SEQUENCE UNUSED IN THIS BUFFER

If the BUFFER TYPE Field is set to File, the Buffer Header Field Table shall contain the BUFFER ADDRESS Field.

If the BUFFER TYPE Field is set to either File, or File Set (Sub)Index, the Buffer Header Field Table shall contain the FILE SET ID Field and the FILE SET TIME Field.

The BUFFER SIZE shall be no larger than the length specified by BUFFER SIZE in the File Set Header.

The BUFFER SEQUENCE Field shall be set to 1 for the first Buffer of the File Set following the File Set Header. The BUFFER SEQUENCE Field shall be increased by 1 for each subsequent Buffer of that File Set except in the following case: if the originating system deems that a Buffer cannot be recorded in its entirety before the end of the Volume, the Buffer shall be recorded in its entirety at the start of the Volume Set Data Space of the next Volume in the Volume Set (see 11.2). Nothing shall be recorded in a Volume Data Space before a Buffer that is repeated.

If a File Set (Sub)Index exists for the File Set, the BUFFER SEQUENCE Field shall be further increased by 1 for each Buffer of the (Sub)Index. If a File Set Buffer follows a File Set Subindex, the BUFFER SEQUENCE Field shall be further increased by 1 for each File Set Buffer.

If the BUFFER TYPE Field is set to Volume (Sub)Index, it shall be associated only with any other Buffers containing data from the same Volume (Sub)Index, by satisfying the following requirements.

- The BUFFER SEQUENCE Field shall be set to 1 for the first Buffer of the Volume (Sub)Index. Each subsequent Buffer of that Volume (Sub)Index shall contain a BUFFER SEQUENCE Field increased by 1.
- The BUFFER ADDRESS, FILE SET ID, FILE SET TIME, FILE SET LABEL, SOURCE NAME TYPE, SOURCE NAME, SOURCE OPERATING SYSTEM, and SOURCE OPERATING SYSTEM VERSION Fields shall not be present.

Figure 20 shows an example of a Buffer Header Field Table.

Field Name	FID	Mandatory	Data Description
BUFFER HEADER	#05	Yes	Resynchronization Pattern
OFFSET TO END	#01	Yes	Bytes from start of next Field to start of last Field
BUFFER TYPE	#60	Yes	Buffer data type (File, File Set Index)
BUFFER SIZE	#06	Yes	Buffer size in bytes, incl. Buffer Header
BUFFER SEQUENCE	#07	Yes	Buffer Sequence number within File Set or Volume Index
BUFFER ADDRESS	#08	Cond.	Number of sectors counting from File Set (Sub) Header
BUFFER CRC	#8008	No	CRC, not including Buffer Header
UNUSED IN THIS BUFFER	#8000	Yes	Length of unused Blank Space
FILE SET ID	#8072	Cond.	ID of associated File Set and Buffer(s)
FILE SET TIME	#80F403	Cond.	Timestamp in Buffer of File Set
FILE SET LABEL	#808005	No	User-defined label of File Set
ORIGINATING SYSTEM SOFTWARE NAME	#808006	No	Originating application name string
ORIGINATING SYSTEM SOFTWARE TYPE	#808007	No	Originating application type string
ORIGINATING SYSTEM SOFTWARE VERSION	#808008	No	Originating application version string
SOURCE NAME TYPE	#8009	No	Source naming convention type
SOURCE NAME	#02	No	Source name string
SOURCE OPERATING SYSTEM	#03	No	Source operating system string
SOURCE OPERATING SYSTEM VERSION	#04	No	Source operating system version string
VOLUME SET TIME	#80F400	No	Timestamp of Volume Set creation
VOLUME SET LABEL	#808030	No	User-defined string
VOLUME SET SEQUENCE	#80F100	No	Volume position within Volume Set
BUFFER HEADER	#05	Yes	CRC value or empty

Figure 20 - Example of a Buffer Header Field Table

13.5 Volume Index Field Table

In each Volume, the Volume Index Field Table is not mandatory. If present, it shall be recorded within the Volume Set Data Space immediately after a File Set Postamble. A Volume Index stores information about File Sets previously recorded in the Volume or Volume Set. The VOLUME INDEX and NUMBER OF FILE SETS Fields are mandatory in Volume Index Field Tables.

If NUMBER OF FILE SETS is greater than 0, the following eleven additional Fields are also mandatory in the Volume Index Field Table for each File Set:

FILE SET ID FILE SET TIME FILE SET LABEL SOURCE NAME TYPE SOURCE NAME SOURCE OPERATING SYSTEM SOURCE OPERATING SYSTEM VERSION FSH VOLUME SET SEQUENCE FILE SET HEADER LOCATION FST VOLUME SET SEQUENCE FILE SET TRAILER LOCATION

A Volume Index is optional. If a Volume Index Field Table is written it shall conform to the following requirements.

- A Volume Index Field Table shall be contained in one or more Buffers, which are referred to below as the Volume Index Buffer(s). If the Volume Index Field Table is too large to fit into a single Buffer, it shall be continued into subsequent Buffer(s) which shall be recorded contiguously within the Volume Set Data Space.
- If VOLUME INDEX REQUIRED is set to a bit pattern other than all ZEROs in the Volume Header Field Table, and the Volume is not full, a Volume Index Buffer shall be the last information recorded in the Volume. If VOLUME INDEX REQUIRED is set to all ZEROs, Volume Indices may still be recorded in the location(s) specified above.
- A Volume Index Field Table shall reference all File Sets wholly or partially contained previously in the Volume, and may reference any File Set contained previously in the Volume Set.
- A Volume Index Field Table shall contain all of the File Set-specific information contained in all previous Volume Indices of the Volume.
- The Fields of a Volume Index Field Table shall be associated with either the Volume Index Field Table in general, or a specific File Set. Fields recorded before the first instance of the FILE SET ID Field shall be associated with the Volume Index Field Table in general. Fields in the Table, except the last Field, recorded after the n-th instance of the FILE SET ID Field, shall be associated with the n-th File Set referenced by the Volume Index Field Table.
- The NUMBER OF FILE SETS Field shall specify the number of times that the Iterated Field Set is repeated. An Iteration shall include all Fields starting with the FILE SET ID Field and ending immediately before another occurrence of the FILE SET ID Field or the final VOLUME INDEX Field. All Fields, including non-required Fields, within the *n*th Iteration shall reference the File Set specified by the *n*th occurrence of the FILE SET ID Field.
- File Set-specific Iterated Field Sets shall be recorded in the order that their File Set Trailers are recorded within the Volume Set.

Figure 21 shows an example of a Volume Index Field Table.

Field Name	FID	Mandatory	Data Description
VOLUME INDEX	#808011	Yes	Resynchronization Pattern
OFFSET TO END	#01	No	Bytes from start of next Field to start of last Field
NUMBER OF FILE SETS	#808015	Yes	Number of File Set entries iterated below
FILE SET ID	#8072	Cond. 1)	File Set 4-byte ID
FILE SET TIME	#80F403	Cond.	File Set Timestamp
FILE SET LABEL	#808005	Cond.	File Set user-defined label string
SOURCE NAME TYPE	#8009	Cond.	Source naming type
SOURCE NAME	#02	Cond.	Source name string
SOURCE OPERATING SYSTEM	#03	Cond.	Source operating system string
SOURCE OPERATING SYSTEM	#04	Cond.	Source operating system version string
FILE SET ABORTED	#808039	No	Whether File Set has been aborted prematurely
RESOURCE NAME SPACE	#808038	No	Enumeration, see NAME SPACE
RESOURCE NAME	#808023	No	Root entity stored in the File Set
RESOURCE TYPE	#808037	No	Enumeration
FSH VOLUME SET SEQUENCE	#80803A	Cond.	Volume Set sequence number of File Set Header
FSH PARTITION NUMBER	#80803B	No	Physical partition number of File Set Header
FILE SET HEADER LOCATION	#80803C	Cond.	Sector Number of File Set Header
FST VOLUME SET SEQUENCE	#80803D	Cond.	Volume Set sequence number of File Set Trailer
FST PARTITION NUMBER	#80803E	No	Physical partition number of File Set Trailer
FILE SET TRAILER LOCATION	#80803F	Cond.	Sector Number of File Set Trailer
VOLUME INDEX	#808011	Yes	CRC value or empty

Note to figure 21

1) This Field shall be recorded first within the Iterated Field Set.

Figure 21 - Example of a Volume Index Field Table

13.6 Volume Subindex Field Table

In each Volume, the Volume Subindex Field Table is not mandatory. If present, it shall be recorded only within a Volume Postamble. A Volume Subindex Field Table shall be contained in Buffers, and recorded within the Buffer Data Space. The Volume Index Buffer(s) shall immediately precede the Volume Terminator.

The requirements for the recording of the Volume Subindex Field Table shall be the same as for the Volume Index Field Table, except that the first and last Field shall be the VOLUME SUBINDEX Field (FID = #808031) instead of the VOLUME INDEX Field.

13.7 File Set Header Field Table

In each Volume, the File Set header Field Table is not mandatory, unless the File Set starts within this Volume. If present, it shall be recorded at the start of the first Sector of the File Set. If the File Set Header Field Table does not end exactly at a Sector boundary, the unused part of its last Sector shall be padded with Blank Space.

The following eleven Fields are mandatory in the File Set Header Field Table:

FILE SET HEADER OFFSET TO END FILE SET ID FILE SET TIME FILE SET LABEL FILE SET INDEX PRESENT BUFFER SIZE SOURCE NAME TYPE SOURCE NAME SOURCE OPERATING SYSTEM SOURCE OPERATING SYSTEM VERSION

SOURCE NAME TYPE shall specify the naming convention used for all subsequent instances of SOURCE NAME and SOURCE ALIAS in this File Set Header Field Table, unless and until another instance of SOURCE NAME TYPE is recorded later in the File Set Header.

SOURCE ALIAS, and SOURCE NAME TYPE if recorded immediately before SOURCE ALIAS, shall form an Iterated Field Set. SOURCE NAME TYPE may be omitted if its data is the same as that of the previous instance of SOURCE NAME TYPE in this File Set Header.

Figure 23 shows an example of a File Set Header Field Table.

Field Name	FID	Mandatory	Data Description
FILE SET HEADER	#808004	Yes	Resynchronization Pattern
OFFSET TO END	#01	Yes	Bytes from start of next Field to start of last Field
PREV OBJECT LOCATION	#80802A	No	Sector Number of the previous FS Header or FS Trailer, if in Volume
NEXT OBJECT LOCATION	#808029	No	Sector Number of the next FS Header or FS Trailer, if in Volume
CHAR SPEC	#808040	No	Character Specification default for File Set
FILE SET ID	#8072	Yes	File Set 4-byte ID
FILE SET TIME	#80F403	Yes	File Set Timestamp
FILE SET LABEL	#808005	Yes	User-defined File Set label string
FILE SET INDEX PRESENT	#80802D	Yes	Whether the File Set Index is recorded in this File
REGISTERED IDENTIFIER	#808043	No	ID for extension to Standard, scope: this File Set only
BUFFER SIZE	#06	Yes	Maximum Buffer size permissible in the File Set
SOURCE NAME TYPE	#8009	Yes	Source naming convention type
SOURCE NAME	#02	Yes	Source name string
SOURCE OPERATING SYSTEM	#03	Yes	Source operating system string
SOURCE OPERATING SYSTEM VERSION	#04	Yes	Source operating system version string
SOURCE NAME TYPE	#8009	Cond. 1)	Source alias naming convention type
SOURCE ALIAS	#808036	No 1)	Alternate name for Source
RESOURCE NAME SPACE	#808038	No	Enumeration, see NAME SPACE in annex C
RESOURCE NAME	#808023	No	Root File stored in the File Set
RESOURCE TYPE	#808037	No	Enumeration
ORIGINATING SYSTEM SOFTWARE NAME	#808006	No	Originating application name string
ORIGINATING SYSTEM SOFTWARE TYPE	#808007	No	Originating application type string
ORIGINATING SYSTEM SOFTWARE VERSION	#808008	No	Originating application version string
FORMAT VERSION	#8062	No	Major, minor, subminor version: 4 bytes
AUTHENTICATION	#8002	No	File Set Password
FILE SET COMMENT	#80802B	No	User-defined string
FILE SET HEADER	#808004	Yes	CRC value or empty

Note to figure 22

¹⁾ These Fields form an Iterated Field Set. SOURCE NAME TYPE is not required unless its data is different from a previous instance in this File Set Header. Zero or more iterations shall be recorded, based on the number of SOURCE ALIASes to write.
13.8 File Set Continuation Header Field Table

In each Volume, the File Set Continuation Header Field Table is not mandatory, unless the File Set spans from the previous Volume. If present, it shall be recorded only within the Volume Preamble, after the Volume Header Field Table. If the File Set Continuation Header Field Table does not end exactly at a Sector boundary, the unused part of its last Sector shall be padded with Blank Space.

The requirements for the recording of the File Set Continuation Header Field Table shall be the same as for the File Set Header Field Table, except that the first and last Field shall be the FILE SET CONTINUATION HEADER Field (FID = #808035), instead of the FILE SET HEADER Field.

13.9 File Set Trailer Field Table

In each Volume, the File Set Trailer Field Table is not mandatory, unless the File Set terminates within this Volume. If present, it shall be recorded after the last Buffer containing the File Set File data. The File Set Trailer Field Table shall begin on a Sector Boundary. If the File Set Header Field Table does not end exactly at a Sector boundary, the unused part of its last Sector shall be padded with Blank Space.

The following nine Fields are mandatory in the File Set Trailer Field Table:

FILE SET TRAILER OFFSET TO END FILE SET ID FILE SET TIME FILE SET LABEL SOURCE NAME TYPE SOURCE NAME SOURCE OPERATING SYSTEM SOURCE OPERATING SYSTEM VERSION

Figure 23 shows an example of a File Set Trailer Field Table.

Field Name	FID	Mandatory	Data Description
FILE SET TRAILER	#808009	Yes	Resynchronization Pattern
OFFSET TO END	#01	Yes	Bytes from start of next Field to start of last Field
PREV OBJECT LOCATION	#80802A	No	Sector Number of the previous FS Header or FS Trailer, if in Volume
NEXT OBJECT LOCATION	#808029	No	Sector Number of the next FS Header or FS Trailer, if in Volume
FILE SET ABORTED	#808039	No	Whether the File Set is aborted
FILE SET ID	#8072	Yes	File Set 4-byte ID
FILE SET TIME	#80F403	Yes	File Set Timestamp
FILE SET LABEL	#808005	Yes	User-defined File Set label string
SOURCE NAME TYPE	#8009	Yes	Source naming convention type
SOURCE NAME	#02	Yes	Source name string
SOURCE OPERATING SYSTEM	#03	Yes	Source operating system string
SOURCE OPERATING SYSTEM VERSION	#04	Yes	Source operating system version string
RESOURCE NAME SPACE	#808038	No	Enumeration, see NAME SPACE in annex C
RESOURCE NAME	#808023	No	Root File stored in File Set
RESOURCE TYPE	#808037	No	Enumeration
ORIGINATING SYSTEM SOFTWARE NAME	#808006	No	Originating application name string
ORIGINATING SYSTEM SOFTWARE TYPE	#808007	No	Originating application type string
ORIGINATING SYSTEM SOFTWARE VERSION	#808008	No	Originating application version string
FILE SET TRAILER	#808009	Yes	CRC value or empty

Figure 23 - Example of a File Set Trailer Field Table

13.10 File Set Index Field Table

In each Volume, the File Set Index Field Table is not mandatory. If present for a given File Set, it is recorded in the File Set Postamble, and its presence shall be indicated by the FILE SET INDEX PRESENT Field in the File Set Header Field Table. The following ten Fields are mandatory in the File Set Index Field Table:

FILE SET INDEX FILE SET ID FILE SET TIME FILE SET LABEL FILE SET INDEX FIELDS SOURCE NAME TYPE SOURCE OPERATING SYSTEM SOURCE OPERATING SYSTEM VERSION NUMBER OF FILES

If NUMBER OF FILES contains a value greater than 0, the following seven additional Fields are also mandatory in the File Set Index Field Table:

VOLUME SET SEQUENCE NUMBER BUFFER ADDRESS BUFFER OFFSET PARENT PATH FULLY QUALIFIED NAME SPACE PATH NAME

The File Set Index lists every File contained in the File Set, in the order they are recorded. Each File name(s) and location is listed in a schema of four nested levels of Iterated Field Sets (IFS). The location of each File is determined by its VOLUME SET SEQUENCE, BUFFER ADDRESS, and BUFFER OFFSET. Since Volume information, and to a lesser extent Buffer address information, may be highly redundant among the Files, the following scheme shall be used: The first VOLUME SET SEQUENCE shall be recorded (IFS 1) only once, followed by Buffer entries (IFS 2) for each Buffer of that Volume which contains the start of a File.

The entry for each Buffer shall begin with its BUFFER ADDRESS (address of the first Sector of the Buffer), and contains a sub-entry (IFS 3) for each File that starts in that Buffer. The sub-entry for each File shall begin with the BUFFER OFFSET (byte offset from the start of the Buffer to the File Header), and contains sub-sub-entries (IFS 4) for Name Spaces supported by the File. Each sub-sub-entry shall include the Name Space used, and the File name as expressed in terms of that Name Space. The only sub-sub-entry that is mandatory is that for the Name Space under which the File was created; this sub-sub-entry shall be listed first, those for other namepsaces of the File may follow.

If a File Set Index Field Table is written, it shall conform to the following requirements:

- The File Set Index Field Table shall be recorded within Buffer(s). When a File Set Index Field Table overflows
 a Buffer, it shall continue as an uninterrupted Byte Sequence in the next Buffer immediately after the Buffer
 Header.
- The File Set Index Field Table shall be recorded beginning in the Sector immediately following the File Set Trailer within the Volume Set Data Space.
- The File Set Index Field Table shall list every File of the File Set, in the order they were recorded.
- The File Set Index Field Table listing shall indicate the logical address of each File as follows: the VOLUME SET SEQUENCE Field shall be recorded for each Volume of the File Set in which a File Header occurs. Before a different VOLUME SET SEQUENCE Field may be recorded, the BUFFER ADDRESS of each Buffer in the Volume that contains one or more File Headers shall be recorded. Before a different BUFFER ADDRESS can be recorded, the BUFFER OFFSET for each File with a File Header beginning in that Buffer shall be recorded. Before a different BUFFER OFFSET can be recorded, the NAME SPACE and PATH NAME information of the File at that offset shall be recorded.
- Fields recorded after VOLUME SET SEQUENCE and before the next instance of BUFFER ADDRESS shall be considered to be associated with the Volume specified by that VOLUME SET SEQUENCE.
- Fields recorded after BUFFER ADDRESS and before the next instance of BUFFER OFFSET shall be considered to be associated with the Buffer specified by that BUFFER ADDRESS.
- The name information associated with each file shall conform to the following requirements: The PATH FULLY QUALIFIED Field shall be recorded before the Name Space entries, and shall not be recorded again for this File. It shall be followed by one or more Name Space entries. Any Fields pertinent to the File in general, and not specific to one of the Name Spaces of the File, shall be recorded after the BUFFER OFFSET and before PATH FULLY QUALIFIED for this File. A Name Space entry shall begin with NAME SPACE, and end with PATH NAME. Any information between these two Fields shall pertain to this Name Space entry. The NAME SPACE used to create the Source entity (for example, file or Source directory) the information of which is stored in this File shall be the Name Space specified by the first Name Space entry.
- For each File, if PARENT is not set to all ZEROS, PATH FULLY QUALIFIED shall not be set to all ZEROS. If PARENT is set to all ZEROS, PATH FULLY QUALIFIED may be set to all ZEROS or not. If PATH FULLY QUALIFIED is not set to all ZEROS, each PATH NAME shall contain, in conformance with its associated

NAME SPACE, the entire path of the Source entity associated with this File. This path information shall not include SOURCE NAME. If PATH FULLY QUALIFIED is set to all ZEROs, each PATH NAME shall contain, in conformance with its associated NAME SPACE, only the terminal name (i.e. relative path) of the Source entity associated with this File, and the complete path shall be considered to be the path of the most immediately preceding File that had PARENT not set to all ZEROs, appended with terminal (i.e. not fully qualified) name of the File.

Figure 24 shows an example of a File Set Field Table.

Field Name	FID	Mandat	ory	Data Description
FILE SET INDEX	#808010	Yes		Resynchronization Pattern
OFFSET TO END	#01	No		Bytes from start of next Field to start of last Field
FILE SET ID	#8072	Yes		File Set 4-byte ID
FILE SET TIME	#80F403	Yes		File Set Timestamp
FILE SET ABORTED	#808039	No		Whether recording of File Set is aborted
FILE SET LABEL	#808005	Yes		User-defined File Set label string
FILE SET INDEX FIELDS	#808034	Yes		List of FIDs used for each File Set entry
SOURCE NAME TYPE	#8009	Yes		Source naming convention type
SOURCE NAME	#02	Yes		Source name string
SOURCE OPERATING SYSTEM	#03	Yes		Source operating system string
SOURCE OPERATING SYSTEM VERSION	#04	Yes		Source operating system version string
TOTAL FILE SET SIZE	#808022	No		Total File Set size
NUMBER OF FILES	#808021	Yes		Number of Files in File Set
VOLUME SET SEQUENCE	#80F100	Cond.	1)	Volume position within Volume Set (1,2,, n)
PARTITION NUMBER	#808012	No	1)	Physical partition number of specified Volume
BUFFER ADDRESS	#08	Cond.	2)	Sector Number of first Sector in Buffer
BUFFER OFFSET	#808014	Cond.	3)	Bytes from start of Buffer to File Header
PARENT	#81F0FD	Cond.	3)	Whether this File is a Source directory
FILE IS INVALID	#80F003	No	3)	Whether this File is valid as recorded
PATH FULLY QUALIFIED	#50	Cond.	3)	Whether path is complete or relative
NAME SPACE	#11	Cond.	4)	Name Space of PATH NAME immediately following
PATH NAME	#12	Cond.	4)	Path name expressed in current Name Space form
FILE SET INDEX	#808010	Yes		CRC value or empty

Figure 24 - Example of a File Set Index Field Table

Notes to figure 24:

- 1) These Fields form the first Iterated Field Set IFS1. They are nested at the highest level of the four levels of IFSs of the File Set Index. Iterated Field Sets 2, 3 and 4 shall each be recorded one or more times between successive iterations of IFS 1. Iterated Field Set 1 is recorded only when the Volume number changes.
- 2) This Field forms the second Iterated Field Set IFS2. It is at the second of the four nested levels of IFSs of the File Set Index. IFS3 and IFS4 shall each be recorded one or more times before IFS2 is repeated. Additional Fields may be associated with a Buffer Address by recording them between the BUFFER ADDRESS Field for this Buffer and the next occurrence of the BUFFER OFFSET Field.
- 3) These Fields form the third Iterated Field Set IFS3. They are at the third of the four nested levels of IFSs of the File Set Index. IFS4 shall be recorded one or more times before IFS3 is repeated. Additional Fields may be

associated with a File by recording them between the BUFFER OFFSET and PATH FULLY QUALIFIED Fields for that File

4) These Fields form the fourth Iterated Field Set ISF4. They are at the lowest of the four nested levels of IFSs of the File Set Index. IFS4 shall be recorded one or more times before IFS3 is repeated. Additional Fields may be associated with a specific Name Space of a File by recording them between the NAME SPACE and PATH NAME Fields for that Name Space.

13.11 File Set Subindex Field Table

A File Set Subindex Field Table is not mandatory. If present, it shall be recorded in the same manner as a File Set Index Field Table, with the following exceptions:

- The first and last Fields shall be the FILE SET SUBINDEX Field (FID = #808033) instead of FILE SET INDEX.
- The Buffer(s) containing the File Set Subindex shall have their Header BUFFER TYPE specify that a File Set Subindex is recorded within.
- The File Set Subindex references only Files which were previously recorded, rather than an entire File Set.
- The File Set Subindex shall be recorded only at the start of a Volume Postamble.

13.12 File Header Field Table

A File Header Field Table shall be recorded within Buffer Data Space, immediately before the File Information Field Table for each Source file. The following three Fields are mandatory in the File Header Table:

FILE HEADER FILE CHUNK SIZE FILE TYPE

Figure 25 shows an example of a File Header Field Table.

Field Name	FID	Required	Data Description
FILE HEADER	#09	Yes	Resynchronization Pattern
FILE CHUNK SIZE	#0B	Yes	Bytes of this File contained in this Buffer
FILE TYPE	#70	No	Type of File (e.g. Source directory, Source file)
REGISTERED IDENTIFIER	#808043	No	ID for extension to Standard, scope: this File only
FILE HEADER	#09	Yes	CRC value or empty

Figure 25 - Example of a File Header Field Table

13.13 File Continuation Header Field Table

A File Continuation Header Field Table shall be recorded within a Buffer, immediately after the Buffer Header Field Table. The following two Fields are mandatory in the File Continuation Header Field Tables:

FILE CONTINUATION HEADER FILE CHUNK SIZE

Figure 26 shows an example of a File Continuation Header Field Table.

Field Name	FID	Required	Data Description
FILE CONTINUATION HEADER	#8001	Yes	Resynchronization Pattern
FILE CHUNK SIZE	#0B	Yes	Bytes of this File contained in this Buffer
FILE IS INVALID	#80F003	No	Whether the File is valid as recorded
FILE CONTINUATION HEADER	#8001	Yes	CRC value or empty

13.14 File Information Field Table

The File Information Field Table shall be recorded within Buffer Data Space, immediately after the File Header Field Table. The following five Fields are mandatory in File Information Field Table:

FILE INFORMATION PARENT PATH FULLY QUALIFIED NAME SPACE PATH NAME

Use of the PATH FULLY QUALIFIED Field, and all Fields in the Iterated Field Set beginning with NAME SPACE and ending with PATH NAME shall meet the relevant requirements of 13.10.

Field Name	FID	Required	Data Description
FILE INFORMATION	#813F	Yes	Resynchronization Pattern
OFFSET TO END	#01	No	Bytes from start of next Field to start of last Field
ATTRIBUTES	#81F2FE	No	File attributes, see annex C
CREATOR NAME SPACE	#81F2FC	No	Name Space under which the Source file was created
DATA STREAM SIZE	#81F2FB	No	Size in bytes of the data stream
TOTAL STREAM SIZE	#81F2FA	No	Size of all streams, in 4096-byte blocks
NEEDS ARCHIVE	#16	No	Whether the Source file was modified since marked as archived
DELETED FLAG	#81F0FE	No	Whether the Source file was deleted
PARENT	#81F0FD	Yes	Whether the Source file is a Source directory
ACCESS TIME	#44	No	Timestamp when Source file was last accessed
CREATION TIME	#64	No	Timestamp when Source file was created
MODIFIED TIME	#74	No	Timestamp when Source file was last modified
ARCHIVE TIME	#54	No	Timestamp when Source file was last marked as archived
PATH FULLY QUALIFIED	#50	Yes	Whether path is complete or relative
NAME SPACE	#11	Yes 1)	File system naming convention
NAME POSITIONS	#27	No 1)	Beginning position of each path element in the associated PATH NAME Field
SEPARATOR POSITIONS	#28	No 1)	Beginning position of each path separator in the associated PATH NAME Field
PATH NAME	#12	Yes 1)	Source file name, in terms of current Name Space
FILE INFORMATION	#813F	Yes	CRC value or empty

Figure 27 shows an example of a File Information Field Table.

Note to figure 27

1) These Fields form an Iterated Field Set repeated for each File Name Space. The first iteration shall specify the Name Space that was used to create the File. Within each iteration, NAME SPACE shall be the first Field and PATH NAME shall be the last Field, and any Fields recorded between these two shall apply to that specific iteration.

Figure 27 - Example of a File Information Field Table

13.15 File Data

File Data shall be recorded as a series of Field Tables which describe the traits and contents of a single entity of the Source. The following four Field Tables shall be included within File Data: Header Field Table, Path Field Table, Characteristics Field Table and Trailer Field Table. The Header Field Table shall be the first, and the Trailer Field Table the last Field Table recorded in the File Data. Any Streams associated with the File shall be recorded after the Characteristics Field Table in the File Data.

File Types, and the organization of Field Tables comprising the File Data are specified below for the following Source file system entities: Source volume, Source directory, Source file, and transaction set.

13.15.1 Path Field Table

The Path Field Table shall be the second Field Table recorded in the File Data for Source volume, Source file and Source directory types of Files. The following four Fields are mandatory in the Path Field Table:

PATH PATH FULLY QUALIFIED NAME SPACE PATH NAME

Use of the PATH FULLY QUALIFIED Field, and all Fields in the Iterated Field Set beginning with NAME SPACE and ending with PATH NAME shall meet the relevant requirements of 13.14.

Field Name	FID	Required	Data Description
РАТН	#10	Yes	Resynchronization Pattern
OFFSET TO END	#01	No	Bytes from start of next Field to start of last Field
PATH FULLY QUALIFIED	#50	Yes	Whether the following paths are complete or relative
NAME SPACE	#11	Yes 1)	File system naming conventions
NAME POSITIONS	#27	No 1)	Beginning position of each path element in the associate PATH NAME Field
SEPARATOR POSITIONS	#28	No 1)	Beginning position of each path separator in the associated PATH NAME Field
PATH NAME	#12	Yes 1)	File name, in terms of current Name Space
РАТН	#10	Yes	CRC value, or empty

Figure 28 shows an example of a Path Field Table.

Note to figure 28

These Fields form an Iterated Field Set repeated for each File Name Space. The first iteration shall specify the Name Space that was used to create the File. Within each iteration, NAME SPACE shall be the first Field and PATH NAME shall be the last Field, and any Fields recorded between these two shall apply to that specific iteration.

Figure 28 - Example of a Path Field Table

13.15.2 Characteristics Field Table

The Characteristics Field Table shall be the third Field Table recorded in the File Data for Source volume, Source file and Source directory types of Files. The CHARACTERISTICS Field is the only mandatory Field of the Characteristics Field Table.

Figure 29 shows an example of a Characteristics Field Table.

Field Name	FID	Required	Data Description		
CHARACTERISTICS	#13	Yes	Resynchronization Pattern		
OFFSET TO END	#01	No	Bytes from start of next Field to start of last Field		
ACCESS TIME	#44	No	Timestamp when the Source file was last accessed		
ARCHIVE TIME	#54	No	Timestamp when the Source file was last archived		
CANT COMPRESS DATA	#81EFE6	No	Source indicated data should not be compressed		
COMPRESS FILE IMMEDIATE	#8116	No	Source indicated data should be compressed		
CREATION TIME	#64	No	Timestamp when the Source file was created		
SOURCE DIRECTORY	#14	No	Whether the Source file is a Source directory or a parent		
DO NOT COMPRESS FILE	#8115	No	Source file owner indicated do not compress		
EXECUTE ONLY	#813B	No	Whether the Source file marked execute only		
HIDDEN	#15	No	Whether the Source file marked hidden		
INDEXED	#81EFF8	No	Whether the Source file marked indexed		
INHIBITIONS	#813A	No	Whether copy, delete and/or rename allowed or inhibited		
MODIFIED TIME	#74	No	Timestamp when the Source file was last modified		
NEEDS ARCHIVE	#16	No	Whether the Source file data modified since archived		
NEEDS ARCHIVE CHARACTERISTICS	#2D	No	Whether the Source file characteristics modified since archived		
POSIX FILE MODE	#80F203	No	Source file Posix permissions and properties		
POSIX FILEID	#80F210	No	Source file Posix node number		
POSIX FILE SYSTEM ID	#80F20F	No	Source file Posix file system ID		
POSIX GROUP ID	#80F204	No	Source file Posix group owner ID (Posix format)		
POSIX NUMBER OF LINKS	#80F20D	No	Number of Source files linked to Source file's inode.		
POSIX RDEVICE	#80F20E	No	Source file Posix raw device number		
POSIX OWNER ID	#80F209	No	Source file Posix owner ID		
PURGE	#8136	No	Whether the Source file is marked purgable		
READ ONLY	#17	No	Whether the Source file is marked read only		
REMOTE DATA INHIBIT	#81EFE8	No	Whether the Source file user indicated file is not to be migrated off the Source.		
REMOTE DATA ACCESS	#81EFE7	No	Whether the Source indicated file was migrated off the Source.		
SHAREABLE	#18	No	Whether the Source file is marked shareable		
SYSTEM	#19	No	Whether the Source file is marked system		
TRANSACTIONAL	#8135	No	Whether the Source file is marked transactional		
CHARACTERISTICS	#13	Yes	CRC value or empty		

Figure 29 - Example of a Characteristics Field Table

13.15.3 Source volume File Data

Source volume File Data shall consist of at least the following Field Tables, recorded in the following order:

- Source volume Header Field Table
- Path Field Table
- Characteristics Field Table
- Source volume Trailer Field Table

If additional Field Tables are to be associated with the Source volume File Data, they shall be recorded after the Characteristics Field Table and before the Source volume Trailer Field Table.

13.15.3.1 Source volume Header Field Table

The Source volume Header Field Table shall be the first Field Table recorded in the Source volume File Data. The SOURCE VOLUME HEADER Field is the only mandatory Field in the Source volume Header Table.

Figure 30 shows an example of a Source volume Header Field Table.

Field Name	FID	Required	Data Description
SOURCE VOLUME HEADER	#81EFFC	Yes	Resynchronization Pattern
SOURCE VOLUME HEADER	#81EFFC	Yes	CRC value or empty

Figure 30 - Example of a Source volume Header Field Table

13.15.3.2 Source volume Trailer Field Table

The Source volume Trailer Field Table shall be the last Field Table recorded in the Source volume File Data. The SOURCE VOLUME TRAILER Field is the only mandatory Field in the Source volumeTrailer Field Table.

Figure 31 shows an example of a Source volume Trailer Field Table.

Field Name	FID	Required	Data Description
SOURCE VOLUME TRAILER	#81EFFB	Yes	Resynchronization Pattern
SOURCE VOLUME TRAILER	#81EFFB	Yes	CRC value or empty

Figure 31 - Example of a Source volume Trailer Field Table

13.15.4 Source directory File Data

Source directory File Data shall consist of at least the following Field Tables, recorded in the following order:

- Source directory Header Field Table
- Path Field Table
- Characteristics Field Table
- Source directory Trailer Field Table

If additional Field Tables are to be associated with the Source directory File Data, they shall be recorded after the Characteristics Field Table and before the Source directory Trailer Field Table.

13.15.4.1 Source directory Header Field Table

The Source directory Header Field Table shall be the first Field Table recorded in the Source directory File Data. The Field SOURCE DIRECTORY HEADER Field is the only mandatory Field in Source directory Field Table.

Figure 32 shows an example of a Source directory Header Field Table.

Field Name	FID	Required	Data Description
SOURCE DIRECTORY HEADER	#0C	Yes	Resynchronization Pattern
EXCLUSION OPTIONS	#29	No	Whether streams or attributes were excluded
SOURCE DIRECTORY HEADER	#0C	Yes	CRC value or empty

Figure 32 - Example of a Source directory Header Field Table

13.15.4.2 Source directory Trailer Field Table

The Source directory Trailer Field Table shall be the last Field Table recorded in the Source directory File Data. The SOURCE DIRECTORY TRAILER Field is the only mandatory Field in the Source directory Trailer Field Table.

Figure 33 shows an example of a Source directory Trailer Field Table.

Field Name	FID	Required	Data Description
SOURCE DIRECTORY TRAILER	#0D	Yes	Resynchronization Pattern
SOURCE DIRECTORY TRAILER	#0D	Yes	CRC value or empty

Figure 33 - Example of a Source directory Trailer Field Table

13.15.5 Source file File data

Source file File data shall consist of at least the following Field Tables, recorded in the following order:

- Source file Header Field Table
- Path Field Table
- Characteristics Field Table
- Source file Trailer Field Table

If additional Field Tables, such as Stream(s), are to be associated with the File data, they shall be recorded after the Characteristics Field Table and before the File Trailer Field Table.

13.15.5.1 Source file Header Field Table

The Source file Header Field Table shall be the first Field Table recorded in the Source file File data. The SOURCE FILE HEADER Field is the only mandatory Field in Source file Header Field Tables.

In addition an Iterated Field Set shall be recorded for each Stream type of the File the Stream of which is not recorded in clear data Stream format (see 13.15.7.3). In each Iterated Field Set, STREAM TYPE shall be the first and STREAM FORMAT the second Field recorded. If STREAM FORMAT indicates that the Stream is compressed, the Iterated Field Set shall contain the STREAM COMPRESS TYPE Field.

Figure	34 shows	an examr	ble of a	Source f	file H	eader	Field '	Table.

Field Name	FID	Required	Data Description
SOURCE FILE HEADER	#0E	Yes	Resynchronization Pattern
EXCLUSION OPTIONS	#29	No	Which, if any, Streams or attributes were excluded
STREAM TYPE	#2B	Cond. 1)	Type of stream (e.g. data, resource, security)
STREAM FORMAT	#2C	Cond. 1)	Physical Stream format (e.g. compressed, sparse)
STREAM COMPRESS TYPE	#8005	Cond. 1)	Compression algorithm used for the stream
SOURCE FILE HEADER	#0E	Yes	CRC value or empty

Note to figure 34. 1) These Fields form an Iterated Field Set. The Source file Trailer Field Table shall be the last Field Table recorded in the Source file File data. The SOURCE FILE TRAILER is the only mandatory Field in Source file Trailer Field Tables.

Figure 35 shows an example of a Source file Trailer Field Table.

Field Name	FID	Required	Data Description
SOURCE FILE TRAILER	#0F	Yes	Resynchronization Pattern
SOURCE FILE TRAILER	#0F	Yes	CRC value or empty

Figure 35 - Example of a Source file Trailer Field Table

13.15.6 Transaction Set File data

A transaction set is a group of entities from the Source, such as Source files, that must be manipulated as a group.

Transaction Set File data shall begin with a Transaction Set Header Field Table, and end with a Transaction Set Trailer Field Table. Between these, for each of the entities of the transaction set the following group of Field Table shall be recorded in the order specified.

- Transaction Set Header

The following Field Tables, up to, and not including, the Transaction Set Trailer, represent an iterated set of Field Tables. They shall be recorded once for each entity of the Transaction Set. Such an entity shall have a unique path name within the Transaction Set; otherwise the entity is defined by the originating system.

- Header Field Table appropriate for the entity type (for example, a Source file Header)
- Path Field Table
- Characteristics Field Table
- Trailer Field Table of type matching the Header for this entity.
- Transaction Set Trailer Field Table

If additional Field Tables, such as a Streams Field Table, are to be associated with a transaction set entity, they shall be recorded after the Characteristics Field Table and before the Trailer Field Table for that entity.

If additional Field Tables are to be associated with the Transaction Set File data, they shall be recorded after the Trailer Field Table for the last entity and before the Transaction Set Trailer Field Table.

13.15.6.1 Transaction Set Header Field Table

The Transaction Set Header Field Table shall be the first Field Table recorded in the Transaction Set File data. The TRANSACTION SET HEADER Field is the only mandatory Field in Transaction Set header Field Tables.

Field Name	FID	Required	Data Description
TRANSACTION SET HEADER	#81EFF3	Yes	Resynchronization Pattern
TRANSACTION SET TYPE	#81EFEE	No	Transaction Set type, as defined by Source
TRANSACTION SET NAME	#81EFEF	No	Transaction Set name, as defined by Source
TRANSACTION SET HEADER	#81EFF3	Yes	CRC value or empty

Figure 36 shows an example of a Transaction Set header Field Table.

Figure 36 - Example of Transaction Set Header Field Table

13.15.6.2 Transaction Set Trailer Field Table

The Transaction Set Trailer Field Table shall be the last Field Table recorded in the Transaction Set File data. The TRANSACTION SET TRAILER Field is the only mandatory Field in the Transaction Set Trailer Field Table. Figure 37 shows an example of a Transaction Set Trailer Field Table.

Field Name	FID	Required	Data Description
TRANSACTION SET TRAILER	#81EFF2	Yes	Resynchronization Pattern
TRANSACTION SET TRAILER	#81EFF2	Yes	CRC value or empty

Figure 37 - Example of Transaction Set Trailer Field Table

13.15.7 Streams

A Stream is a set of logically related bytes in a File. Streams shall be recorded after the Characteristics Field Table, and before the associated trailer Field Table for their File. A Stream consists of a Stream Header Field Table, followed by the Stream data, followed by a Stream Trailer Field Table.

13.15.7.1 Stream Header Field Table

The following four Fields are mandatory in the Stream Header Field Table:

STREAM HEADER STREAM TYPE STREAM FORMAT STREAM SIZE

In addition the Stream Header Field Table shall meet to the following requirements:

- If STREAM FORMAT indicates that the Stream is compressed, STREAM COMPRESSED TYPE shall be recorded.
- If STREAM FORMAT indicates that the Stream is compressed, sparse or delta block, STREAM EXPANDED SIZE shall be recorded.
- If STREAM FORMAT indicates that the Stream is sparse or delta block format, BLOCK SIZE and BLOCK MAP shall be recorded.
- If STREAM FORMAT indicates that the Stream is delta block or delta extent format, DELTA BASE TIME shall be recorded.
- If STREAM FORMAT indicates that the Stream is delta extent format, DELTA EXTENT OFFSET and DELTA EXTENT OLD SIZE shall be recorded.
- If STREAM TYPE indicates that the Stream contains extended attributes, EA KEY shall be recorded.
- The STREAM SIZE value shall be the number of bytes of the Stream as recorded on the Volume.
- If multiple Streams of the same STREAM TYPE are recorded in a File, each such Stream Header shall contain STREAM TYPE SEQUENCE. The STREAM TYPE SEQUENCEs for a File Streams sharing the same STREAM TYPE shall form an ascending ordinal sequence (1, 2, 3, ..., n) matching the order in which those Streams are recorded.

Figure 38 shows an example of a Stream Header Field Table.

Field Name	FID	Required	Data Description
STREAM HEADER	#1D	Yes	Resynchronization Pattern
OFFSET TO END	#01	No	Bytes from start of next Field to start of last Field
STREAM TYPE	#2B	Yes	Type of Stream (e.g. data, resource, security)
STREAM FORMAT	#2C	Yes	Physical Stream format (e.g. compressed, sparse)
STREAM TYPE SEQUENCE	#61	Cond.	Sequence number of the Stream for a given Stream type
STREAM SIZE	#20	Yes	Bytes in Stream as recorded
STREAM COMPRESS TYPE	#8005	Cond.	Compression algorithm used for the Stream
STREAM EXPANDED SIZE	#8006	Cond.	Logical bytes in Stream (e.g. uncompressed)
BLOCK SIZE	#24	Cond.	Block size of block map, in bytes
BLOCK MAP	#25	Cond.	Which blocks are used in Stream
EA KEY	#1B	Cond.	The extended attribute key value
DELTA BASE TIME	#8044	Cond.	Timestamp of base of Source delta
DELTA EXTENT OFFSET	#800A	Cond.	Stream byte offset to start of delta extent
DELTA EXTENT OLD SIZE	#800B	Cond.	Size of area replaced by delta extent
STREAM HEADER	#1D	Yes	CRC value or empty

Figure 38 - Example of a Stream Header Field Table

13.15.7.2 Stream Trailer Field Table

The STREAM TRAILER Field is the only mandatory Field in the Stream Trailer Field Table.

Figure 39 shows an example of a Stream Trailer Field Table.

Field Name	FID	Required	Data Description
STREAM TRAILER	#1E	Yes	Resynchronization Pattern
STREAM IS INVALID	#21	No	Whether the stream is deemed invalid by the originating system
STREAM CRC	#22	No	CRC of the stream as recorded
STREAM TRAILER	#1E	Yes	CRC value or empty

Figure 39 - Example of Stream Trailer Field Table

13.15.7.3 Stream format

Stream format is the physical representation in which a Stream is recorded. Stream format is specified by the STREAM FORMAT Field in the Stream Header Field Table. This ECMA Standard specifies the following five Stream formats:

- clear data
- sparse
- compressed
- delta block
- delta extent

If multiple Streams with the same STREAM TYPE are recorded for a File, these Streams must all be recorded using the same Stream format.

Sparse, delta block and delta extent Stream formats shall record a subset of the data of the corresponding stream of the Source, as specified below. Delta block and delta extent Stream formats represent changes that

have occurred to a Source Stream specified by DELTA BASE TIME. Changes represented are relative to the state of the Source Stream at the DELTA BASE TIME, so only blocks or extents that have been changed are recorded.

NOTE

Delta block and delta extent Stream may not be fully usable by the receiving system unless an image of the Source Stream at the DELTA BASE TIME is available.

13.15.7.4 Block-mapped Stream formats

Sparse and delta block Stream formats use a block mapping scheme to represent the Stream. A block-mapped Stream shall specify its EXPANDED STREAM SIZE, BLOCK SIZE, and BLOCK MAP in its Stream Header. The term expanded stream image shall be used to represent a sequence of bytes of the size indicated by EXPANDED STREAM SIZE, containing the data explicitly or implicitly represented by the Source Stream (for example, the uncompressed image of a compressed Source Stream). This expanded Stream image is handled as a series of equally sized, contiguous blocks of the size indicated by BLOCK SIZE. The BLOCK MAP shall be a bit map indicating which blocks of the expanded Stream image are recorded as this Stream and which blocks are not recorded. The bits in the bit map shall have an ordered one-to-one correspondence to the blocks of the expanded Stream image. The bit map shall have the first bit recorded reflect the presence of the first block of the expanded Stream image, second bit describe the second block, and so forth. A bit shall be set to ONE if its corresponding block of the expanded Stream image is not recorded. A bit shall be set to ZERO if its corresponding block of the expanded Stream image is not recorded.

13.15.7.4.1 Clear data Stream format

The clear data Stream format shall represent the Stream data as a sequence of bytes, without data compression performed by the Source or the originating system application, such that the number of bytes recorded, and their contents, are the same as is available to a user of the Source file.

13.15.7.4.2 Compressed Stream format

The compressed Stream format shall represent Stream data as a sequence of bytes submitted to compression performed or maintained by the Source or the originating system application. The type of data compression used shall be indicated by the STREAM COMPRESS TYPE Field in the Stream Header.

13.15.7.4.3 Sparse Stream format

Stream data using the sparse Stream format shall be recorded as a block-mapped Stream format. Blocks of the expanded stream image that are not recorded should be considered to contain only NULL bytes.

13.15.7.4.4 Delta block Stream format

Stream data using the delta block Stream format shall be recorded as a block-mapped Stream format. Blocks of the expanded stream image that are not recorded should be considered unchanged from their predelta value (i.e. unchanged from the state of the Source file Stream as it existed at the Source at the DELTA BASE TIME recorded in the Stream Header).

13.15.7.4.5 Delta extent Stream format

An extent is defined as a contiguous set of bytes within a Stream. The original stream is defined as the Source stream as it existed at the Source at the DELTA BASE TIME specified in the Stream Header. Per agreement between the originating and receiving systems, the delta extent Stream replaces a specified extent within the original stream. This latter extent shall be referred to as the replaced extent. The expanded stream image represented by the delta stream shall be defined as the concatenation of the part of the original stream before the replaced extent, the delta extent, and the part of the original stream after the replaced extent.

DELTA EXTENT OFFSET shall indicate the byte offset from the start of the original Stream to the start of the replaced extent. DELTA EXTENT SIZE shall indicate the size of the replaced extent. STREAM SIZE shall indicate the size of the delta extent, so that the delta extent may be of different size than the replaced extent. No combination of delta extent and/or delta block Streams shall be recorded such that the resulting Stream is ambiguous. If a Stream has a greater DELTA BASE TIME than a previous Stream sequence, the deltas are based on the Source Stream with the previous sequences changes applied.

13.15.7.5 Stream sequence

STREAM SEQUENCE shall be recorded in the Stream Header of all Streams of a File that are of the same STREAM TYPE as another Stream of the same File. Streams of the same type within a File shall be sequenced ordinally (1, 2, 3, ..., n) in the order they are recorded on the media. STREAM SEQUENCE shall increment independently for different STREAM TYPE values within a File.

13.16 Levels of partition interchange

Two levels of partition interchange are specified.

13.16.1 Level 1 of partition interchange

At level 1, the following special restrictions shall apply:

- A File Set shall not be interleaved.
- For media which support file marks, the Volume Header file mark usage value shall be 3, indicating that file
 marks shall be written before all File Set Trailers, and before all File Set Headers recorded after the first
 Buffer of a Volume.
- Character use shall be limited to the CS4 character set (see 6.8).
- A File Set shall not span physical partitions or media.
- The Buffer Size shall not be greater than 65 536 bytes.
- The Buffer Size shall be a fixed size per File Set, and that size shall match the value recorded in the File Set Header.
- Numeric data values shall be less than 2^{32} .
- Volume Headers and Trailers, and File Set (Continuation) Headers and Trailers shall not be larger than the Sector Size specified in the Volume Header.
- The Volume Header shall be recorded in the first user-accessible physical sector of the partition.

13.16.2 Level 2 of partition interchange

At level 2, no restrictions shall apply.

14 Requirements for systems

14.1 Requirements for the description of systems

This ECMA Standard specifies that certain information shall be communicated between a primary file system and/or its associated application, and a medium.

14.2 Requirements for an originating system

14.2.1 General

The originating system shall be capable of recording primary file system information as a Volume Set according to the normative specifications of this ECMA Standard in conformance with one of the partition interchange levels specified in 13.16.

14.2.2 Mandatory access by user

The originating system shall obtain from the requesting application the information that constitutes the Source files to be recorded on the Volume Set.

14.2.3 Optional access by user

The originating system shall permit the requesting application to supply other information to be recorded in any of the following Field Table fields, and shall record such information as supplied by the requesting application. The originating system shall supply the information for such a Field if the requesting application does not supply it. The applicable Fields are listed for the following Field Tables:

Volume Header Field Table

- VOLUME SET LABEL

File Set Header Field Table

- FILE SET LABLE
- SOURCE NAME

14.2.4 Volume characteristics

Whenever an originating system records a File Set on a Volume, the characteristics of the following Fields of the Volume Header shall be preserved, independent of which originating system recorded the Volume Header:

FILE MARK USAGE, and VOLUME INDEX PRESENT

The following Fields, if recorded, shall have consistent data values within the Headers, Trailers and (Sub)Indices of a Volume Set:

VOLUME SET LABEL VOLUME SET TIME.

14.2.5 File Set characteristics

The following Fields, if recorded, shall have consistent data values within the (Continuation) Headers, Buffers, Trailer and (Sub)Indices of a File Set:

FILE SET ID FILE SET TIME FILE SET LABEL SOURCE NAME SOURCE OPERATING SYSTEM SOURCE OPERATING SYSTEM VERSION

If one or more Registered Identifiers are recorded in a File Set Header, they shall be re-recorded in all File Set Continuation Headers of that File Set.

14.2.6 Recording of Bit Data

Fields the Data Description of which (annex C) specifies that their data part shall be recorded as Bit Data, shall be recorded according to B.3 in annex B.

14.2.7 Cyclic Redundancy Check (CRC)

This ECMA Standard specifies CRC use for

- Field Tables
- Buffers
- Streams

Recording of CRC values is optional. CRC shall be calculated according to clause 9. The size of the data part of a Field containing CRC bits shall be 4 bytes.

If calculated for, and recorded in, a Field Table, the CRC bits shall be recorded as the data part of the last Field of the Field Table. The data used as input for the CRC shall be the entire Field Table except the last Field.

If calculated for, and recorded in, a Buffer, the CRC bits shall be recorded as the data part of the BUFFER CRC Field of the Buffer Header. The data used as input for the CRC shall be the entire Buffer except the Buffer Header.

If calculated for, and recorded in the Trailer of, a Stream, the CRC bits shall be recorded as the data part of the STREAM CRC Field of the Stream Trailer Field Table. The data used as input for the CRC shall be the entire Stream as recorded on the Volume, independent of any source stream or Stream Format interpretation. The Stream is all bytes within Buffer Data Space following the Stream Header and preceding the Stream Trailer.

14.3 Requirements for a receiving system

14.3.1 General

The receiving system shall be capable of reading the Files and associated information from a Volume Set that has been recorded in conformance with this ECMA Standard in one of the partition interchange levels specified in 13.16. The receiving system shall make available to the requesting application or file system the information that constitutes the recorded Files of the Volume Set. The receiving system shall make available to the requesting application or file system the information that is descriptive of the Source files and was supplied by the Source to the originating system and recorded on the Volume Set.

The originating system may record Source file associated information that a conforming receiving system is unable to interpret. When processing such information, the receiving system shall nevertheless make this information available to the requesting application and/or file system.

14.3.2 Levels of conformance

This ECMA Standard specifies two levels of conformance for receiving systems. These are known as Level 1 and Level 2. A statement of conformance of a receiving system shall specify the level to which the receiving system conforms.

14.3.2.1 Level 1 conformance of a receiving system

A receiving system shall conform to Level 1 if it meets all the requirements of 14.3.2.1 and 14.3.2.2 when reading a Volume from a medium partition that conforms to the requirements of 13.16.1.

14.3.2.2 Level 2 conformance of a receiving system

A receiving system shall conform to Level 2 if it meets all the requirements of 14.3.2.1 and 14.3.2.2 when reading a Volume from a medium partition that conforms to the requirements of 13.16.2.



Annex A

(normative)

Structure of the Field Identifier

A.1 Overview

Each Field Identifier (FID) shall consist of a sequence of one to four bytes, uniquely identified by the setting of the bits of these bytes. Various bits in these bytes may have a specific meaning.

A.1.1 Bits specifying an operating system

Bits specifying an operating system shall be a set of six adjacent bits which denote that certain FIDs pertain to a specific operating system. These bits are used in certain 2-byte and 3-byte FIDs as indicated below. An operating system specified by these bits shall be registered in accordance with ISO/IEC 13800.

A.1.2 Bits specifying a developer

Bits specifying a developer shall be a set of thirteen adjacent bits which denote that certain FIDs pertain to a specific developer. These bits are used in certain 3-byte and 4-byte FIDs as indicated below. A developer specified by these bits shall be registered in accordance with ISO/IEC 13800.

A.2 General Structure of 1-byte FIDs

1-byte FIDs shall be identified by their high-order bit b7 set to ZERO. The interpretation of bits b5 to b0 depends on the setting of b6.

If b6 is set to ZERO, the Data part of the Field shall be of variable length, and bits b5 to b0 shall be in the range #00 to #3F, thus identifying 63 such FIDs. In this case, the length of the Data part of the Field shall be specified by the Data Length part of the Field.

If b6 is set to ONE, the Data part of the Field shall be of fixed length specified by bits b2 to b0, and the Data Size part of the Field shall be omitted. Bits b2 to b0 shall specify a number N, such that 2^N expresses the length of the data. Bits b5, b4 and b3 allow eight different FIDs to be specified for each of these fixed data length.

1-byte FIDs	b7	b6	b5	b4	b3	b2	b1	b0	
Variable Data	0	0	х	х	х	х	х	х	
Fixed Data Le	0	1	x'	x'	x'	n	n	n	
xxxxxx: x'x'x': nnn:	Bits of the FID, identifying 63 different FIDs Bits of the FD identifying 8 different FIDs for each data length Length of the Data part of Field equals 2^N								

Figure A.1 - Structure of 1-byte FIDs

A.2.1 Special case of 1-byte FIDs: NULL Field/ NULL FID

A 1-byte FID with all bits set to ZERO is designated the NULL FID, it identifies the NULL Field, which has no Data Length part and no Data part.

A.3 General Structure of 2-byte FIDs

2-byte FIDs shall be identified by the bits b7 and b6 of the first byte set to ONE and ZERO, respectively, and bit b7 of the second byte set to ZERO.

If the first byte is set to #80, the FID shall not specify an operating system. If the first byte is in the range #81 to #BF, the FID shall specify the operating system identified by bits b5 to b0. In either case, the second byte shall be interpreted as specified for 1-byte FIDs.

	First Byte	Second Byte
2-byte FIDs	b7 b6 b5 b4 b3 b2 b1 b0	b7 b6 b5 b4 b3 b2 b1 b0
Variable Data Length	10ssssss	0 0 x x x x x x
Fixed Data Length	1 0 s s s s s s	0 1 x' x' x' <i>n n n</i>

SSSSSS:	set to all ZEROs, or to an operating system identification number in the range #01 to #3F
xxxxxx:	Bits of the FID identifying 6 different FIDs
x'x'x':	Bits of the FID identifying 8 different FIDs for each data length for each operating system
nnn:	Length of the Data part of Field equals 2^N

Figure A.2 - Structure of 2-byte FIDs

A.4 General Structure of 3-byte FIDs

3-byte FIDs shall be identified by either:

Case A: Bits b7 and b6 of the first byte set to ONE and ZERO, respectively, and bit b7 of the second byte set to ONE; or

Case B: Bits b7 and b6 of the first byte set to ONE, and bit b7 of the third byte set to ZERO.

In Case A, bits b5 to b0 of the first byte shall either be bits specifying an operating system, or set to all ZEROs. In Case B, bits b5 to b0 of the first byte, and all bits of the second byte shall specify a developer.

Case A: In this case, if bits b6, b5 and b4 of the second byte are not all set to ONE, the Data part of the Field shall be of variable length. This length shall be specified by the Data Length part of the Field. Bits b6 to b0 of the second byte, and all bits of the third byte are simply part of the FID, and have no specific meaning.

If bits b6, b5 and b4 of the second byte are all set to ONE, the Data part of the Field shall be of fixed length. Bits b2 to b0 of the second byte shall define a number N such that the length of the Data part of the Field is 2^N . Bit b3 of the second byte, together with all the bits of the third byte, shall specify up to 512 different FIDs for each data length.

	Fiı	st l	Byt	e					Se	coi	nd l	Byt	e				Th	nird	l By	/te				
3-byte FIDs	b7	b6	b5	5 b4	b3	b2	2 b1	. b 0	b7	' b6	5 b5	5 b 4	l b3	8 b2	2 b1	b0	b7	b b	6 b5	5 b 4	4 b3	8 b2	2 b1	b0
Variable Data Length	1	0	s	s	s	S	s	S	1	х	х	х	х	х	х	х		Х	х	Х	х	Х	х	Х
Fixed Data Length	1	0	S	S	S	S	S	S	1	1	1	1	x'	n	n	n		x'	x'	x'	x'	x'	x'	x'
ssssss: xxxxxxxxxxxxxxxx x'x'x'x'x'x'x'x'x':		se Bi Bi sy	t to ts c ts c stei	all of th of th n; ti	ZEI e F e F he I	RO ID ID nigh	s, oi ider ider ider	r to an ntifyin ntifyin der bi	n oper ng 32 ng 512 it of tl	ratii 768 2 di nese	ng s 3 di ffer e is	syste ffere rent bit	em i ent FIL b3 o	iden FID Ds fo	ntifio Ds Dr e ne so	cation ach da	num ata lei byte.	ber ngti	[,] in t h fo	the i r ea	rang ich (ge #	01 t	to #3F
nnn:		Le	engt	th of	f th	e D	ata	part o	of Fiel	ld e	qua	ls 2	Ν											

Figure A.3 - Structure of 3-byte FIDs: Case A

Case B: In this case bits b5 to b0 of the first byte and all bits of the second byte shall either specify a developer or be set to all ZEROs. The third byte shall be interpreted as specified for 1-byte FIDs.

	First Byte								Second Byte										Third Byte									
3-byte FIDs	b7	7 b(5 b5	5 b4	4 b3	8 b2	2 b1	l b0	b	7 b	6	b5	b4	b3	5 b2	2 b1	b0	b7	' b 6	6 b5	; b4	b3	5 b2	b1	b0			
Variable Data Length	1	1	0	d	d	d	d	d	d	d		d	d	d	d	d	d	0	0	х	х	х	х	х	х			
Fixed Data Length	1	1	0	d	d	d	d	d	d	d		d	d	d	d	d	d	0	1	x'	x'	x'	n	n	n			
ddddddddddd: 1	Deve	lop	er ic	lent	ific	atio	n ni	umbe	er in the r	ang	ge	#0	000	to	#1F	FFF												

uuuuuuuuuuuuu.	Developer identification number in the range #0000 to #1111
xxxxxx:	Bits of the FID identifying 64 different FIDs
x'x'x':	Bits of the FID identifying 8 different FIDs for each data length for each developer
nnn:	Length of the Data part of Field equals 2^N

Figure A.4 - Structure of 3-byte FIDs - Case B

A.5 General Structure of 4-byte FIDs

4-byte FIDs shall be identified by bits b7 and b6 of the first byte set to ONE and bit b7 of the third byte set to ONE. The first and second bytes shall be interpreted as specified for Case B of the 3-byte FIDs. The third and the fourth bytes shall be interpreted as specified for Case A of the 3-byte FIDs.

First Byte	Second Byte	Third Byte	Fourth Byte						
b7 b6 b5 b4 b3 b2 b1 b0 Variable Data Length:	b7 b6 b5 b4 b3 b2 b1 b0	b7 b6 b5 b4 b3 b2 b1 b0	b7 b6 b5 b4 b3 b2 b1 b0						
1 1 0 d d d d d	d d d d d d d	1 x x x x x x x x	x x x x x x x x x						
Fixed Data Length: 1 1 0 d d d d d	d d d d d d d	1 1 1 1 x' <i>n n n</i>	x' x' x' x' x' x' x' x'						
ddddddddddd: xxxxxxxxxxxxxxxx x'x'x'x'x'x'x'x'x':	Developer identification nur Bits of the FID identifying 3 Bits of the FID identifying 5 high-order bit of these is fro	nber in the range #0000 to #1FF 2 768 FIDs 12 different FIDs for each length m bit b3 of the third byte.	F h for each developer; the						
nnn:	Length of the Data part of F	ield equals 2^N							

Figure A.5 - Structure of 4-byte FIDs

A.6 FIDs not reserved by this ECMA Standard

FIDs with bits b7, b6 and b5 of the first byte set to ONE are not defined by this ECMA Standard, and are available for registration via ISO/IEC 13800. However, the use of these FIDs shall follow the conventions of this annex as follows.

- If bit b7 of the third byte of such a FID is set to ZERO, the FID shall be a 3-byte FID, and the interpretation of the third byte shall be the same as for Case B for 3-byte FIDs as specified above.
- If bit b7 of the third byte of such a FID is set to ONE, the FID shall be a 4-byte FID, and the interpretation of the third and fourth bytes shall be the same as for the 4-byte FIDs as specified above.

NOTE

Bits b4 to b0 of the first byte and all bits of the second byte of FIDs not defined by this ECMA Standard are intended to be associated arbitrarily to different Registered Identifiers of ISO/IEC 13800.

A.7 Allocation of FIDs by range

FID range	FID type
#00-3F	One byte, variable data length, generic
#40-7F	One byte, fixed data length, generic
#8000-803F	Two bytes, variable data length, generic
#8040-807F	Two bytes, fixed data length, generic
#8100-813F	Two bytes, variable data length, 1st operating system
#8140-817F	Two bytes, fixed data length, 1st operating system
#8100-813F	Two bytes, variable data length, 2nd operating system
#8140-817F	Two bytes, fixed data length, 2nd operating system
#BF00-BF3F	Two bytes, variable data length, 63rd operating system
#BF40-BF7F	Two bytes, fixed data length, 63rd operating system
#808000-#80EFFF	Three bytes, variable data length, generic
#80F000-#80FFFF	Three bytes, fixed data length, generic
#818000-#81EFFF	Three bytes, variable data length, 1st operating system
#81F000-#81FFFF	Three bytes, fixed data length, 1st operating system
#828000-#82EFFF	Three bytes, variable data length, 2nd operating system
#82F000-#82FFFF	Three bytes, fixed data length, 2nd operating system
: #BESOOO #BEEEEE	Three bytes, veriable data length 63rd operating system
#BFE000 #BEEFFE	Three bytes, variable data length, 63rd operating system
#C00000_#C0003F	Three bytes, variable data length 0-th developer
#C00040-#C0007F	Three bytes, variable data length 0-th developer
#C00100-#C0013F	Three bytes, variable data length 1st developer
#C00140-#C0017F	Three bytes, fixed data length, 1st developer
•••••••••••••••••••••••••••••••••••••••	:
:	:
#DFFF00-#DFFF3F	Three bytes, variable data length, 8191st developer
#DFFF40-#DFFF7F	Three bytes, fixed data length, 8191st developer
#E00000-#FFFF7F	Three bytes, not defined by this ECMA Standard, available for registration according to ISO/IEC 13800
#C0008000-#C000EFFF	Four bytes, variable data length, 0-th developer
#C000F000-#C000FFFF	Four bytes, fixed data length, 0-th developer
#C0018000-#C001EFFF	Four bytes, variable data length, 1st developer
#C001F000-#C001FFFF	Four bytes, fixed data length, 1st developer
#DFFF8000-#DFFFFFFF	• Four bytes, variable data length 8191st developer
#DFFF8F00-#DFFFFFFF	Four bytes, fixed data length, 8191st developer
#E0018000-#FFFFFFFF	Four bytes, not defined by this ECMA Standard, available for registration according to ISO/IEC 13800

Figure A.6 - Summary of the FID ranges

Annex B

(normative)

Specification of the length of data in Fields

All Fields with variable data length (i.e. length not specified as fixed by the FID) shall have a Data Length part. The Data Length part shall be presented in one of three different formats.

B.1 Direct length format

The Direct length format shall be identified by bit b7 of the first byte of the Data Length part of the Field set to ZERO. The Direct length format shall occupy one byte. Bits b6 to b0 shall represent in binary notation the data length from 0 to 127.

b7 b6 b5 b4 b3 b2 b1 b0 0 *n n n n n n n*

nnnnnn: Length of the Data part of Field, from 0 to 127

Figure B.1 - Structure of a Direct 1-byte Data Length part of a Field

B.2 Indirect length format

The Indirect length format shall be identified by bit b7 of the first byte of the Data Length part of the Field set to ONE, and bits b6 to b2 set to ZERO. Bits b1 and b0 shall specify a number N, such that the 2^N bytes immediately following the first byte of the Data Length part specify the length in bytes of the data part. These bytes specifying the data length shall be recorded as a number (with low-order byte first). The Indirect length format shall occupy between two and nine bytes. Lengths of 0 to $18 \cdot 10^{18}$ bytes can be represented by this format.

First Byte b7 b6 b5 b4 b3 b2 b1 b0 1 0 0 0 0 0 n n

nn: 2^N = number of bytes specifying the data length, to follow immediately

Figure B.2 - Structure of the first byte of the Indirect Data length part of a Field

First Byte (indirect:2 bytes				Second Byte						Third Byte														
foll	ow)																							
b7	b6	b5	b4	b3	b2	b1	b0	b7	b6	b5	b4	b3	b2	b1	b0		b7	b6	b5	b4	b3	b2	b1	b0
1	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0		0	0	0	0	1	0	1	0

Figure B.3 - Example of Indirect length: bits b1 and b0 of first byte set to 01, specifying a length recorded in the following $2^1 = 2$ bytes. These bytes specify a data length #600A = 24586 bytes.

B.3 Bit Data length format

The Bit Data length format shall be identified by bits b7 and b6 of the first byte of the Data Length part of the Field set to ONE. This data length consists of one byte. The data is expressed by 1 to 6 bits from b0 to b5. In each FID definition (see annex C), the relevant bit or bits are specified. Bits not specified shall be ignored. Because the Field data is stored in the Data Length part, no Data Part is recorded.

b7	b6	b5	b4	b3	b2	b1	b0
1	1	d	d	d	d	d	d

ddddd Data bits, specifying a range of data values from 0 to 63

Figure B.4 - Structure of the Data Length part of a Field in Bit Data format

Annex C

(normative)

Field specification

This annex lists alphabetically all Fields defined in this ECMA Standard. The Fields are presented as follows:

- The name of the Field
- The FID: presented and recorded high-order byte first (i.e. big endian).
- The Data length: The length of the Data Length part of the Field. If the Field has a fixed Data Length, the word "Fixed" is shown, followed by the length in bytes. If the Field has a variable data size, the word "Variable" is shown. If the Data Length is shown as Bit Data, the data shall be recorded according to annex B, B.3.
- Data description: A description of the data and the setting of bits, where applicable.
- Unless otherwise specified, the absence of a Field which is not required shall be interpreted as if the Field is present and set to all ZEROs.
- All reserved bits/bytes shall be set to ZERO/all ZEROs. This includes bytes B12 to B15 of Timestamps.

ACCESS TIME

FID: #44Data length: Fixed, 16 bytesData description: The Timestamp from the Source when the file was last accessed.

ARCHIVE TIME

FID: #54

Data length: Fixed, 16 bytes

Data description: The Timestamp from the Source when the file was last marked as archived.

ATTRIBUTES

FID: #81F2FE

Data length: Variable

Data description: The following attribute(s) shall be associated with a Source entity (for example, a Source file) if, and only if, the corresponding bit(s) is set to ONE. Bits denoting attributes not associated with a Source entity shall be set to ZERO.

Bit	Meaning
b0	Read only
b1	Hidden from normal Source directory access
b2	Intended for use only by the operating system (system)
b3	Execute only, shall not be read or written to
b4	Source directory
b5	One or more of the file Streams have been modified since the
	archive bit (this bit) was last cleared (archive)
b6	Reserved, no meaning
b7	May be accessed simultaneously by multiple users (shareable)
b8	Reserved, no meaning
b9	Reserved, no meaning
b10	Reserved, no meaning
b11	Do not suballocate file block(s) with other files
b12	File is transactional
b13	Reserved, no meaning
b14	Reserved, no meaning
b15	Reserved, no meaning
b16	File to be purged immediately after deletion
b17	File shall not be renamed
b18	File shall not be deleted
b19	File shall not be copied
b20	Reserved, no meaning
b21	Reserved, no meaning
b22	File or Source directory was migrated to secondary storage
b23	File or Source directory shall not be migrated
b24	Reserved, no meaning
b25	File streams shall be compressed onto target file system
b26	File streams were compressed
b27	File owner specified file Streams should not be compressed
b28	Reserved, no meaning
b29	File deemed not effectively compressible by file system
b30	File information other than Stream data has been modified
	since bit b5 was last cleared

AUTHENTICATION

FID: #8002

Data length: Variable

Data description: This string shall contain a password for the Volume or File Set created by, or for, the originating system. A receiving system accessing the Volume or File Set shall validate the user-supplied password against the Volume or File Set Authentication value before access to the Volume or File Set is granted to the user.

The string shall be XORed on a 4-byte basis with the Byte Stream #53694466 (characters "SiDf").

BLANK SPACE

FID:	#808019
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

BLOCK MAP

FID:	#25
Data length:	Variable
Data description:	Bit map for the interpretation of a Data Stream.

BLOCK SIZE

FID:	#24
Data length:	Variable
Data description:	The size of the blocks defined by the BLOCK MAP of a Data Stream.

BUFFER ADDRESS

FID:	#08
Data length:	Variable
Data description:	The distance in Sectors from the File Set (Continuation) Header which is associated with, and in, the same Volume as the Buffer, to the start of the Buffer. A File Set (continuation) Header and a Buffer are associated if they have the same FILE SET ID.

BUFFER CRC

FID:	#8008
Data length:	Variable
Data description:	The CRC of the Buffer excluding the Buffer Header, but including Blank Space at end of Buffer counted in UNUSED IN THIS BUFFER.

BUFFER HEADER

FID:	#05
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

BUFFER OFFSET

FID:	#808014
Data length:	Variable
Data description:	The offset in bytes to a location within a Buffer.

BUFFER SEQUENCE

FID:	#07
Data length:	Variable
Data description:	The ordinal sequence number of a Buffer within its File Set or other usage set (1, 2, 3,, n).

BUFFER SIZE

FID:	#06
Data length:	Variable
Data description:	In the File Set Header: This Field shall contain the maximum Buffer size in bytes for the File Set. In the Buffer Header: This Field shall contain the size in bytes of this Buffer. The Buffer size shall be an integer multiple of the Sector size.

BUFFER TYPE

FID:	#60	
Data length:	Fixed, 1 byte	
Data description:	This Field shall specify which of the 6 types of data the Buffer contains.	
	Value	Data type
	0	Implementation Use
	1	File

1	File
2	File Set Index
3	File Set Subindex
4	Volume Index
5	Volume Subindex

No other value shall be recorded.

CANT COMPRESS DATA

FID: #81EFE6

Data length: Bit Data

Data description: This Field shall specify whether the Source has indicated that it could not effectively compress the data associated with this entity.

Setting Mean	ning
--------------	------

Bit b0 set to ZERO:	No indication on effective compression
Bit b0 set to ONE:	Effective compression impossible
Bits b1 to b5	shall be set to ZERO, no meaning

CHARACTERISTICS

FID:	#13
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

CHAR SPEC

FID:	#808040
Data length:	Variable
Data description:	The first byte shall indicate the character specification type. Additional bytes, as needed, shall indicate character set information.

CLOSE TIME

FID:	#80F402
Data length:	Fixed, 16 bytes
Data description:	The Timestamp from the originating system when the Volume Trailer was recorded.

COMPRESS FILE IMMEDIATE

#8116	
Bit Data	
This Field shall specify whether the user has requested that the Source information associated with the File be compressed when transferred by the receiving system to a primary file system.	
Setting	Meaning
Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	No immediate compression requested Immediate compression requested shall be set to ZERO, no meaning
	 #8116 Bit Data This Field shall specific associated with the File primary file system. Setting Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5

CREATION TIME

FID:	#64	
Data length:	Fixed, 16 bytes	
Data description:	The Timestamp when the Source entity was created.	

CREATOR NAME SPACE

FID:	#81F2FC

Data length:	Fixed, 4 bytes
--------------	----------------

Data description: Name Space used to create the Source entity.

DELETED FLAG

FID:	#81F0FE	
Data length:	Fixed, 1 byte	
Data description:	This Field shall specify whether the Source entity was deleted.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b7	Source entity not deleted Source entity deleted shall be set to ZERO, no meaning

DELTA BASE TIME

FID:	#8044
Data length:	Fixed, 16 bytes
Data description:	Timestamp of base of Source delta.

DELTA EXTENT OFFSET

FID:	#800A
Data length:	Variable
Data description:	Within the Source stream at DELTA BASE TIME, the byte offset from the start of the stream to the start of delta extent

DELTA EXTENT OLD SIZE

FID:	#800B
Data length:	Variable
Data description:	The number of bytes of the pre-delta Source stream to be replaced by the delta extent.

DEVICE INFO

FID:	#808032
Data length:	Variable
Data description:	Implementation use information.

SOURCE DIRECTORY

FID:	#14	
Data length:	Bit Data	
Data description:	This Field shall specify whether the Source entity is a Source directory or a parent	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	Source entity is no Source directory or parent Source entity is Source directory or parent shall be set to ZERO, no meaning

SOURCE DIRECTORY HEADER

FID:	#0C
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

SOURCE DIRECTORY TRAILER

Data length:	Variable
--------------	----------

Data description: Resynchronization data, CRC or empty.

DO NOT COMPRESS FILE

FID: #8115

Data length: Bit Data

Data description: This Field shall specify whether the user has requested that the Source entity shall not

be compressed.

Setting Meaning

Bit b0 set to ZERO:	No request for no compression
Bit b0 set to ONE:	Request for no compression
Bits b1 to b5	shall be set to ZERO, no meaning

EXCLUSION OPTIONS

FID: #29

Data length: Bit Data

Data description: A bit field indicating that when the originating system recorded the data, the specified information was intended to be excluded from the File(s).

shall be set to ZERO, no meaning

Setting Meaning

Bit b0 set to ZERO	Data stream not excluded
Bit b0 set to ONE	Data stream excluded
Bit b1 set to ZERO	Extended attributes not excluded
Bit b1 set to ONE	Extended attributes excluded
Bits b2 to b5	Set to ZERO, no meaning

EXECUTE ONLY

	Bit b0 set to ZERO:	No execute only
	Setting	Meaning
Data description:	This Field shall specify whether the entity is execute only.	
Data length:	Bit Data	
FID:	#813B	

Bit b0 set to ONE:Execute onlyBits b1 to b5shall be set to

EXPIRATION TIME

FID:	#80F404
Data length:	Fixed, 16 bytes
Data description:	Timestamp of the expiration of the recorded entity, per agreement between the originating and receiving system.

FILE CHUNK SIZE

FID:	#0B
Data length:	Variable
Data description:	The number of bytes contained by the following File within the current Buffer.

FILE CONTINUATION HEADER

FID:	#8001
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

FILE HEADER

FID:	#09
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

FILE INFORMATION

FID:	#813F
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

FILE IS INVALID

FID:	#80F003	
Data length:	Bit Data	
Data description:	This Field shall specify whether the originating systems deemed that the File recorded is invalid.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	File not invalid File invalid shall be set to ZERO, no meaning

FILE MARK INTERVAL

Data length: Variable

Data description: The distance in sectors between two consecutive file marks recorded at regular intervals.

FILE MARK USAGE

Data length: Bit Data

Data description: This Field shall specify where physical file marks shall be recorded.

Setting	Meaning
Bit b0 set to ZERO:	No file marks before File Set Headers
Bit b0 set to ONE:	File marks before File Set Headers
Bit b1 set to ZERO:	No file marks before File Set Trailers
Bit b1 set to ONE:	File marks before File Set Trailers
Bit b2 set to ZERO:	No file marks at regular intervals
Bit b2 set to ONE:	File marks at the Sector Address interval
	indicated by FILE MARK INTERVAL.
Bits b3 to b5	shall be set to ZERO, no meaning

Note: Interval file marks are intended to provide a seek-performance improvement mechanism for devices which do not natively support direct seeking: the location of the interval file marks can facilitate high speed but measured travel of large media distances. Interval file mark use is strongly discouraged for devices that support direct seeking, because its use adds difficulty in processing non-interval file marks.

FILE SET ABORTED

FID:	#808039	
Data length:	Bit Data	
Data description:	This Field shall specify whether the originating system aborted recording of the File S prematurely.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	File not aborted prematurely File aborted prematurely shall be set to ZERO, no meaning

FILE SET COMMENT

FID:	#80802B
Data length:	Variable
Data description:	An additional string associated with the File Set.

FILE SET CONTINUATION HEADER

FID:	#808035
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

FILE SET HEADER

FID:	#808004
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

FILE SET HEADER LOCATION

FID:	#80803C
Data length:	Variable
Data description:	The Sector Number of the File Set Header.

FILE SET ID

FID:	#8072
Data length:	Fixed, 4 bytes
Data description:	A non-zero 4-byte value assigned to a File Set by the originating system. This value
	shall be unique among Interleaved File Sets and among the File Sets of the Volume Set.

FILE SET INDEX

FID:	#808010
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

FILE SET INDEX PRESENT

FID:	#80802D		
Data length:	Bit Data		
Data description:	This Field shall specify whether a File Set Index is recorded in this File Set.		
	Setting	Meaning	
	Bit b0 set to ZERO:	File Set Index not necessarily present	
	Bit b0 set to ONE:	File Set Index present	
	Bits b1 to b5	shall be set to ZERO, no meaning	

FILE SET INDEX FIELDS

FID: #808034 Data length: Variable Data description: A list of FIDs represented as a sequence of 32-bit numbers (i.e. little endian). This list specifies which Fields (including optional Fields) are included in the Iterated Field Set for each File listed in the File Set Index. It shall begin with the BUFFER OFFSET FID and end with the PATH FULLY QUALIFIED FID. Except for the first and last FID listed, no particular order is required. If a Field is not recorded for every File entry in the Index, its FID shall not be recorded in this list.

Example

The Data part of FILE SET INDEX FIELDS for a File Set Index which includes MODIFIED TIME for each entry is:

#14 #80 #80 #00 #74 #00 #00 #00 #50 #00 #00 #00

FILE SET LABEL

FID:	#808005
Data length:	Variable
Data description:	A string generated by the originating system intended to describe the contents of the File Set.

FILE SET SUBINDEX

FID:	#808033
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

EID. #90E402

FILE SET TIME

ГID.	#00F403
Data length:	Fixed, 16 bytes
Data description:	The Timestamp when the originating system began recording the File Set.

FILE SET TRAILER

FID:	#808009
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

FILE SET TRAILER LOCATION

FID: #80803FData length: VariableData description: The Sector Number of the File Set Trailer.

FILE TYPE

FID:	#70	
Data length:	Fixed, 1 byte	
Data description:	In a File Header Field Table, specifies which of the following types of File is contained in the ensuing File record and File Continuation record(s).	
	Value	Туре
	0	Reserved
	1	Implementation use
	2	Logical volume
	3	Source directory
	4	File

4 File 5 Transaction set

No other values shall be recorded

FORMAT NAME

FID:	#8052
Data length:	Fixed, 4 bytes
Data description:	The Bytes Stream #53 #49 #44 #46 ("SIDF" not NULL-terminated). This identifies the Volume with a defined sequence to be SIDF compliant

FORMAT VERSION

FID:	#8062	
Data length:	Fixed, 4 bytes	
Data description:	Version of the Logical Format. A Byte Sequence, which specifies the version as show below:	
	Byte	Meaning
	B 0	Major version number.
	B1	Minor version number.
	B2	Subminor version number.
	B3	Undefined, this byte shall be set to all ZEROs.

FSH PARTITION NUMBER

FID:	#80803B
Data length:	Variable
Data description:	Specifies the physical partition number of the File Set Header.

FSH VOLUME SET SEQUENCE

FID:	#80803A
Data length:	Variable
Data description:	Specifies the Volume Set sequence number of the File Set Header.
FST PARTITION NUMBER

FID:	#80803E
Data length:	Variable
Data description:	Specifies the physical partition number of the File Set Trailer.

FST VOLUME SET SEQUENCE

FID:	#80803D
Data length:	Variable
Data description:	Specifies the Volume Set sequence number of the File Set Header.

HEADER DEBUG STRING

FID:	#81EFFF
Data length:	Variable
Data description:	Implementation use: recorded after the OFFSET TO END Field to put the Field Table name coded according to the IRV of ECMA-6 in the data for debugging.

HIDDEN

FID:	#15	
Data length:	Bit Data	
Data description:	This Field shall specify whether the Source file is marked by the Source as hidden.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	Source file is not hidden Source file is hidden shall be set to ZERO, no meaning

INDEXED

FID:	#81EFF8	
Data length:	Bit Data	
Data description:	This Field shall specify whether the Source file is marked by the Source as index.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	Source file is not indexed Source file is indexed shall be set to ZERO, no meaning

INHIBITIONS

FID: #813A

Data length: Bit Data

Data description: This Field shall specify the functionality of the file which is prohibited by the Source. If this Field is not part of the Characteristics Field Table, the Source file shall be considered as having none of the inhibitions specified by bits b0 to bit b2.

Meaning
Copying of this file allowed
Copying of this file prohibited
Deletion of this file allowed
Deletion of this file prohibited
Rename of this file allowed
Rename of this file prohibited
shall be set to ZERO, no meaning

MODIFIED TIME

FID:	#74
Data length:	Fixed, 16 bytes
Data description:	The Timestamp when the Source file was last modified.

NAME POSITIONS

FID:	#27
Data length:	Variable
Data description:	An array of 16-bit numbers containing the beginning position of each path element in the associated PATH NAME Field. Position counting shall be in terms of bytes, and shall begin with 0. All occurrences of NAME POSITIONS shall be associated with a specific PATH NAME Field. Certain properties of this array are associated with the Name Space of the path name.
	Example
	The Data Length part of NAME POSITION for file name "volume2:binb\foo" is:

NAME SPACE

FID:	#11
Data length:	Variable
Data description:	The Source file Name Space type value. Name Space specifies several characteristics of Source file name use. When this Field is part of an Iterated Field Set, the first instance of this Field shall indicate the Name Space that was used to create the file, and the Fields containing the other Name Spaces shall follow.

#00 #00 #08 #00 #0D #00.

NEEDS ARCHIVE

FID: #16

Data length: Bit Data

Data description: This Field shall specify whether at least one of the Source file Streams has been modified since the last time the Source file was marked as archived.

Setting	Meaning
Bit b0 set to ZERO:	No Source file Stream modified
Bit b0 set to ONE:	One or more Source file Streams modified
Bits b1 to b5	shall be set to ZERO, no meaning

NEEDS ARCHIVE CHARACTERISTICS

FID:	#2D	
Data length:	Bit Data	
Data description:	This Field shall specify whether Source file information other than Stream(s) has modified since the last time the Source file was marked as archived.	
	Setting	Meaning
	Bit b0 set to ZERO:	No information other than Stream(s) modified
	Bit b0 set to ONE:	Information other than Stream(s) modified

shall be set to ZERO, no meaning

NEXT OBJECT LOCATION

FID: #808029

Bits b1 to b5

Data length: Variable

Data description: The Sector Number of the Object that most immediately follows the current Field Table. In this context, Objects are all File Set Headers and Trailers. If no Object is recorded on the Volume after the current Field Table, the location shall be recorded as 0.

NUMBER OF FILES

FID:	#808021
Data length:	Variable
Data description:	The number of Files in a File Set.

NUMBER OF FILE SETS

FID: #808015

Data length: Variable

Data description: The number of File Sets the Volume Index references.

OFFSET TO END

FID:	#01
Data length:	Variable
Data description:	The distance in bytes from the beginning of the Field following this OFFSET TO END Field, to the beginning of the last Field in the Field table. A value of 0 shall mean that this Field shall be ignored.

ORIGINATING SYSTEM SOFTWARE NAME

FID:	#808006
Data length:	Variable

Data description: An implementation use string intended to identify the originating system software which recorded the File Set.

ORIGINATING SYSTEM SOFTWARE TYPE

FID:	#808007
Data length:	Variable
Data description:	An implementation use string intended to identify the type of the originating system software which recorded the File Set.

ORIGINATING SYSTEM SOFTWARE VERSION

FID:	#808008
Data length:	Variable
Data description:	An implementation use string intended to identify the version of the originating system software which recorded the File Set.

PARENT

FID:	#81F0FD	
Data length:	Fixed, 1 byte	
Data description:	This Field shall specify whether the Source is a parent.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b7	Source is not a parent Source is a parent shall be set to ZERO, no meaning

PARTITION NUMBER

FID:	#808012
Data length:	Variable
Data description:	The physical partition number that contains the referenced entity.

PATH

FID:	#10
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

PATH FULLY QUALIFIED

FID:	#50	
Data length:	Fixed, 1 byte	
Data description:	This Field shall specify whether the associated path is a complete path. If the associated path for the referenced entity is a relative path, the complete path shall be constructed as follows: the concatenation of the path of the closest previous File the PARENT Field bit b0 of which is not set to ZERO, and the relative path of the referenced entity.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b7	Associated path is relative Associated path is complete shall be set to ZERO, no meaning

PATH NAME

FID:	#12
Data length:	Variable
Data description:	Path name string.

POSIX FILE MODE

- FID: #80F203
- Data length: Fixed, 4 bytes
- Data description: Contains the POSIX file access mode permissions and file type information. If a bit is set to ONE, the corresponding permission or property indicated below is implied by the Source, else the bit(s) shall be set to ZERO.

Bit	Meaning
b0	Execute by others (i.e. other than group or owner)
b1	Write by others
b2	Read by others
b3	Execute by group
b4	Write by group
b5	Read by group
b6	Execute by owner
b7	Write by owner
b8	Read by owner
b9	Reserved no meaning
b10	Set group ID
b11	Set user ID
b12	FIFO
b13	Character special file
b14	Source directory

Bits b15 to b31 shall be set to ZERO, no meaning.

POSIX FILE ID

FID:	#80F210
Data length:	Fixed, 4 bytes
Data description:	The POSIX inode number of the file. Used by the receiving system to rebuild links

POSIX FILE SYSTEM ID

FID:	#80F20F
Data length:	Fixed, 4 bytes
Data description:	The file system ID, used with the POSIX FILE ID to uniquely identify the Source file.

POSIX GROUP ID

FID:	#80F204
Data length:	Fixed, 4 bytes
Data description:	Contains the Source file POSIX group ID.

POSIX NUMBER OF LINKS

FID:	#80F20D
Data length:	Fixed, 4 bytes
Data description:	The number of hard links for the Source file.

POSIX OWNER ID

FID:	#80F209
Data length:	Fixed, 4 bytes
Data description:	The POSIX user ID of the Source file owner.

POSIX RDEVICE

FID:	#80F20E
Data length:	Fixed, 4 bytes
Data description:	Raw device number, as indicated by the Source

PREV OBJECT LOCATION

FID:	#80802A
Data length:	Variable
Data description:	The Sector Number of the Object that immediately precedes the current Field Table. In this context, Objects are all File Set Headers and Trailers. If no Object is recorded on the Volume before the current Field Table, the location shall be recorded as 0.

PURGE

FID:	#8136	
Data length:	Bit Data	
Data description:	This Field shall specify whether a Source file shall be immediately purged a deletion.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	Purging not required File to be purged immediately after deletion shall be set to ZERO, no meaning

READ ONLY

FID:	#17	
Data length:	Bit Data	
Data description:	This Field shall specify whether the Source file is read only.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	Source file is not read only Source file is read only shall be set to ZERO, no meaning

REGISTERED IDENTIFIER

- FID: #808043
- Data length: Variable
- Data description: A Byte Sequence of 23 bytes containing a registered identifier in conformance with ISO/IEC 13800.

A registered identifier is a construct used to specify that a set of extensions to this ECMA Standard are to be applied to some part of the recorded media. That part of the media is known as the scope of the registered identifier. The identifier indicates which specific extensions are to be applied.

This Field shall be recorded only in a Volume Header Field Table, File Set Header Field Table or a File Header Field Table. If recorded in a Volume Header Field Table, its scope is that Volume. If recorded in a File Set Header Field Table, its scope is that entire File Set, even if the File Set spans multiple Volumes. If recorded in a File Header Field Table, its scope is that entire File, even if the File spans multiple Buffers.

Extensions to this ECMA Standard invoked by a registered identifier shall be limited to the following. The creating body associated with the registered identifier shall supply any needed supplemental usage specifications for the created entities.

- Creation of new FIDs, which shall be constructed in accordance with annex A of this ECMA Standard, and shall be unique and registered in compliance with ISO/IEC 13800.
- Creation of new data value definitions for existing Fields, provided they create no conflicts with this ECMA Standard or use associated with other registered identifiers.
- Establishment of Field ordering conventions, including the extended use of Iterated Field Sets.

REMOTE DATA ACCESS

FID: #81EFE7

Data length: Bit Data

Data description: This Field shall specify whether the Source has indicated that its copy of the data stream has been stored remotely.

SettingMeaningBit b0 set to ZERO:Copy of data stream not stored remotelyBit b0 set to ONE:Copy of data stream stored remotelyBits b1 to b5shall be set to ZERO, no meaning

REMOTE DATA INHIBIT

FID:	#81EFE8	
Data length:	Bit Data	
Data description:	This Field shall specify whether the Source indicated that this entity shall not be s remotely.	
	Setting	Meaning
	Bit b0 set to ZERO:	Remote storage allowed
	Bit b0 set to ONE:	Remote storage not allowed
	Bits b1 to b5	shall be set to ZERO, no meaning

RESOURCE NAME

FID:	#808023
Data length:	Variable
Data description:	The File name of the root object among the Files of the File Set.
	Example
	If a File Set contains sys:usr/bin and all its recursive subdirectories and the files within them, this data would be sys:usr/bin)

RESOURCE NAME SPACE

FID:	#808038
Data length:	Variable

Data description: The Name Space of the associated RESOURCE NAME Field (see NAME SPACE).

RESOURCE TYPE

FID: #808037

Data length: Variable

Data description: Per agreement between the originating and receiving systems. The data values to be used for this Field may be determined by a REGISTERED IDENTIFIER of the appropriate scope.

SECTOR SIZE

FID:	#80800E
Data length:	Variable
Data description:	Sector size in bytes for the Volume

SEPARATOR POSITIONS

FID:	#28
Data length:	Variable
Data description:	A separator is a sequence of one or more non-NULL characters used to differentiate distinct elements of a Source entity name. Specification of which separator values are to be used is made by the NAME SPACE value relevant to this Field.
	The Data of SEPARATOR POSITIONS shall be an array of 16-bit numbers containing the beginning position of each path separator in the associated PATH NAME Field. The first array element shall contain the position of the first separator, the second array element shall contain the position of the second separator, and so forth. Position counting shall be in terms of bytes, and shall begin with 0.
	If the Source entity associated with this Field has the PARENT Field in its Characteristics Field Table set to one, it is considered a parent (for example, a Source directory). Unless specified otherwise by the associated NAME SPACE Field, the following requirements shall be met:
	- If a Source entity is a parent, the separator array shall have, as its last element, the position after the last non-separator character of the name.
	 If a Source entity is not a parent, the separator array shall have, as its last element, 16 bits set to ZERO.
	In all cases, the number of array elements shall equal the number of elements in the associated NAME POSITIONS array, if recorded.
	Example
	The Data part of SEPARATOR POSITION for the non-parent source entity named "volume2::binb\foo" is: #07 #00 #0D #00 #00 #00.
SHAREABLE	#18

FID:	#18	
Data length:	Bit Data	
Data description:	This Field shall specify whether the Source entity is marked as shareable.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	Entity not shareable Entity shareable shall be set to ZERO, no meaning

FID: #808036

Data length: Variable

Data description: A string intended to specify an alternate name for the Source. This string shall be associated with the closest previously recorded SOURCE NAME TYPE of the Field Table.

SOURCE FILE HEADER

FID: #0E

Data length: Variable

Data description: Resynchronization data, CRC or empty.

SOURCE FILE TRAILER

FID:	#0F
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

SOURCE NAME

FID:	#02
Data length:	Variable
Data description:	A string intended to specify the Source name. The usage of this string is defined by FILE SET REGID.

SOURCE NAME TYPE

FID: #8009

Data length: Variable

Data description: Per agreement between the originating and receiving systems. The data values to be used for this Field may be determined by a REGISTERED IDENTIFIER of the appropriate scope.

SOURCE OPERATING SYSTEM

FID: #03

Data length: Variable

Data description: Per agreement between the originating and receiving systems. The data values to be used for this Field may be determined by a REGISTERED IDENTIFIER of the appropriate scope.

SOURCE OPERATING SYSTEM VERSION

FID:	#04
Data length:	Variable
Data description:	An implementation use string intended to describe the Source operating system version.

SOURCE VOLUME HEADER

FID:	#81EFFC
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

SOURCE VOLUME TRAILER

FID:	#81EFFB
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

STREAM COMPRESS TYPE

FID:	#8005
Data length:	Variable
Data description:	The type of compression used on the stream. Interpretation of this may be within the scope of a REGISTERED IDENTIFIER.

STREAM CRC

FID:	#22
Data length:	Variable
Data description:	The CRC bits for the stream.

STREAM EXPANDED SIZE

FID:	#8006
Data length:	Variable
Data description:	The logical size of the stream, for example the uncompressed size of a compressed stream, or the size represented by a sparse File.

STREAM FORMAT

FID: #2C

Data length: Variable

Data description: One of the five types of the physical representation used to record a Stream on the media. This is not necessarily the physical representation of the Source stream.

Value	Туре
0	Clear data
1	Sparse
2	Compressed
3	Delta block
4	Delta extent
No other valu	es shall be recorded.

STREAM HEADER

FID:	#1D
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

STREAM IS INVALID

FID:	#21	
Data length:	Bit Data	
Data description:	This Field shall specify whether the originating system deemed that the Stream was invalid.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	Stream not invalid Stream invalid shall be set to ZERO, no meaning

STREAM SIZE

FID:	#20
Data length:	Variable
Data description:	The size in bytes of the Stream as recorded on the media. This may be different from the logical, or expanded, size of the source stream, for example, as with a sparse format Stream.

STREAM TRAILER

FID:	#1E	
Data length:	Variable	
Data description:	Resynchronization data, CRC or empty.	

STREAM TYPE

#2B		
Variable		
One of the following 7 types of Stream.		
Value	Туре	
0	Data	
1	Resource	
2	FTAM	
3 to 9	Reserved, no meaning	
10	Extended attributes	
11	Alternate data	
12	Security data	
13	Link data	
	#2B Variable One of the follow Value 0 1 2 3 to 9 10 11 12 13	

No other values shall be recorded.

STREAM TYPE SEQUENCE

FID:	#61
Data length:	Fixed, 2 bytes
Data description:	Ordinal sequence number (1, 2, 3,, n) of Stream for a given STREAM TYPE.

SYSTEM

FID:	#19	
Data length:	Bit Data	
Data description:	This Field shall specify whether the Source indicated that this entity has the system characteristics.	
	Setting	Meaning
	Bit b0 set to ZERO: Bit b0 set to ONE: Bits b1 to b5	File has no system characteristics File has system characteristics shall be set to ZERO, no meaning

TOTAL FILE SET SIZE

FID:	#808022
Data length:	Variable
Data description:	The size of the File Set expressed in units of 1 024 bytes. This value is informative.

TOTAL STREAM SIZE

FID:	#81F2FA
Data length:	Fixed, 4 bytes
Data description:	The number of 4 096-byte blocks occupied by all Streams.

TRANSACTION SET HEADER

FID:	#81EFF3
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

TRANSACTION SET NAME

FID:	#81EFEF
Datalength:	Variable
Data description:	Name string of a Transaction set File.

TRANSACTION SET TRAILER

FID:	#81EFF2
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

TRANSACTION SET TYPE

FID:	#81EFEE
Data length:	Variable
Data description:	Per agreement between the originating and receiving system.

TRANSACTIONAL

	Setting	Meaning
Data description:	This Field shall speciy whether the Source has indicated that this File shall be tracked for transaction processing.	
Data length:	Bit Data	
FID:	#8135	

Bit b0 set to ZERO:	File not tracked for transaction processing
Bit b0 set to ONE:	File tracked for transaction processing
Bits b1 to b5	shall be set to ZERO, no meaning

UNUSED IN THIS BUFFER

FID:	#8000
Data length:	Variable
Data description:	The number of bytes not used at the end of the Buffer.

VOLUME HEADER

FID:	#808000
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

VOLUME HEADER WRITE COUNT

FID:	#80F104
Data length:	Fixed, 2 bytes
Data description:	The number of times a Volume Header has been recorded on this medium. This is an informative estimate only.

VOLUME INDEX

FID:	#808011
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

VOLUME INDEX LOCATION

FID:	#808042
Data length:	Variable
Data description:	Sector Number of last Volume Index on Volume, intended for use on update in place media (i.e. magneto optical).

VOLUME INDEX REQUIRED

FID:	#80802F
Data length:	Bit Data
Data description:	This Field in the Volume Header Field Table shall specify whether all originating systems that record to this Volume shall record a Volume Index after each File Set or set of Interleaved File Sets.

Bit b0 set to ZERO:	No Volume Index required
Bit b0 set to ONE:	Volume Index required
Bits b1 to b5	shall be set to ZERO, no meaning

Meaning

VOLUME LABEL

Setting

Data length: Variable

Data description: An implementation use string. There are no requirements for this string relative to Volume Labels for any other Volume in a Volume Set.

VOLUME SET ALIAS

FID:	#808041
Data length:	Variable
Data description:	An alternate label string of the Volume Set.

VOLUME SET LABEL

FID:	#808030
Data length:	Variable
Data description:	The label string of the Volume Set. The VOLUME SET LABEL, and its character specification, shall be the same for each Volume in a Volume Set.

VOLUME SET SEQUENCE

FID:	#80F100
Data length:	Fixed, 2 bytes
Data description:	The ordinal sequence number of a Volume within the Volume Set (1, 2, 3,, n).

VOLUME SET TIME

FID:	#80F400
Data length:	Fixed, 16 bytes
Data description:	The Timestamp when the Volume Set was created.

VOLUME SIZE

FID:	#80F201
Data length:	Fixed, 4 bytes
Data description:	Size of the Volume in Sectors. This data is informative only.

VOLUME SUBINDEX

FID:	#808031
Data length:	Variable
Data description:	Resynchronization data, CRC or empty.

VOLUME TIME

FID:	#80F401
Data length:	Fixed, 16 bytes
Data description:	The Timestamp when this individual Volume was created.

VOLUME TRAILER

FID:	#808003
Data length:	Variable
Data description:	Resynchronization Data, CRC, or empty.

Annex D

(informative)

Numerical list of the Field Identifiers specified by this ECMA Standard

Field Identifiers marked as "see annex E" are listed in annex E.

#01	OFFSET TO END
#02	SOURCE NAME
#03	SOURCE OPERATING SYSTEM
#04	SOURCE OPERATING SYSTEM VERSION
#05	BUFFER HEADER
#06	BUFFER SIZE
#07	BUFFER SEQUENCE
#08	BUFFER ADDRESS
#09	FILE HEADER
#0A	see annex E
#0B	FILE CHUNK SIZE
#0C	SOURCE DIRECTORY HEADER
#0D	SOURCE DIRECTORY TRAILER
#0E	SOURCE FILE HEADER
#0F	SOURCE FILE TRAILER
#10	РАТН
#11	NAME SPACE
#12	PATH NAME
#13	CHARACTERISTICS
#14	SOURCE DIRECTORY
#15	HIDDEN
#16	NEEDS ARCHIVE
#17	READ ONLY
#18	SHAREABLE
#19	SYSTEM
#1A	see annex E
#1B	EA KEY
#1C	see annex E
#1D	STREAM HEADER
#1E	STREAM TRAILER

#1F	STREAM NAME
#20	STREAM SIZE
#21	STREAM IS INVALID
#22	STREAM CRC
#23	see annex E
#24	BLOCK SIZE
#25	BLOCK MAP
#26	see annex E
#27	NAME POSITIONS
#28	SEPARATOR POSITIONS
#29	EXCLUSION OPTIONS
#2A	see annex E
#2B	STREAM TYPE
#2C	STREAM FORMAT
#2D	NEEDS ARCHIVE CHARACTERISTICS
#2E	see annex E
#40	see annex E
#41	see annex E
#42	see annex E
#44	ACCESS TIME
#45	see annex E
#50	PATH FULLY QUALIFIED
#51	see annex E
#52	see annex E
#54	ARCHIVE TIME
#60	BUFFER TYPE
#61	STREAM TYPE SEQUENCE
#62	see annex E
#64	CREATION TIME
#70	FILE TYPE
#72	see annex E
#74	MODIFIED TIME
#8000	UNUSED IN THIS BUFFER
#8001	FILE CONTINUATION HEADER
#8002	AUTHENTICATION
#8003	see annex E
#8004	see annex E
#8005	STREAM COMPRESS TYPE

#8006	STREAM EXPANDED SIZE
#8007	see annex E
#8008	BUFFER CRC
#8009	SOURCE NAME TYPE
#800A	DELTA EXTENT OFFSET
#800B	DELTA EXTENT OLD SIZE
#8042	see annex E
#8044	DELTA BASE TIME
#8052	see annex E
#8062	FORMAT VERSION
#8072	FILE SET ID
#8113	see annex E
#8114	see annex E
#8115	DO NOT COMPRESS FILE
#8116	COMPRESS FILE IMMEDIATE
#8117	see annex E
#8118	see annex E
#8119	see annex E
#811A	see annex E
#8120	see annex E
#8121	see annex E
#8122	see annex E
#8123	see annex E
#8124	see annex E
#8125	see annex E
#8126	see annex E
#8127	see annex E
#8128	see annex E
#8129	see annex E
#812A	see annex E
#812B	see annex E
#812C	see annex E
#812D	see annex E
#812E	see annex E
#812F	see annex E
#8130	see annex E
#8131	see annex E
#8132	see annex E

#8133	see annex E
#8134	see annex E
#8135	TRANSACTIONAL
#8136	PURGE
#8137	see annex E
#8138	see annex E
#8139	see annex E
#813A	INHIBITIONS
#813B	EXECUTE ONLY
#813C	see annex E
#813D	see annex E
#813E	see annex E
#813F	FILE INFORMATION
#8152	see annex E
#808000	VOLUME HEADER
#808001	see annex E
#808002	see annex E
#808003	VOLUME TRAILER
#808004	FILE SET HEADER
#808005	FILE SET LABEL
#808006	ORIGINATING SYSTEM SOFTWARE NAME
#808007	ORIGINATING SYSTEM SOFTWARE TYPE
#808008	ORIGINATING SYSTEM SOFTWARE VERSION
#808009	FILE SET TRAILER
#80800A	see annex E
#80800B	see annex E
#80800C	see annex E
#80800D	see annex E
#80800E	SECTOR SIZE
#80800F	DATABASE LOCATION METHOD
#808010	FILE SET INDEX
#808011	VOLUME INDEX
#808012	PARTITION NUMBER
#808013	see annex E
#808014	BUFFER OFFSET
#808015	NUMBER OF FILE SETS
#808016	NUMBER OF DATABASES
#808017	PREVIOUS MEDIA INDEX

#808018	DATABASE NAME
#808019	BLANK SPACE
#80801A	see annex E
#80801B	see annex E
#80801C	see annex E
#80801D	see annex E
#80801E	see annex E
#80801F	see annex E
#808020	FILE MARK USAGE
#808021	NUMBER OF FILES
#808022	TOTAL FILE SET SIZE
#808023	RESOURCE NAME
#808024	COMPRESSION TYPE (reserved for future use)
#808025	ENCRYPTION TYPE (reserved for future use)
#808026	see annex E
#808027	VOLUME LABEL
#808028	FILE MARK INTERVAL
#808029	NEXT OBJECT LOCATION
#80802A	PREV OBJECT LOCATION
#80802B	FILE SET COMMENT
#80802C	see annex E
#80802D	FILE SET INDEX PRESENT
#80802F	VOLUME INDEX REQUIRED
#808030	VOLUME SET LABEL
#808031	VOLUME SUBINDEX
#808032	DEVICE INFO
#808033	FILE SET SUBINDEX
#808034	FILE SET INDEX FIELDS
#808035	FILE SET CONTINUATION HEADER
#808036	SOURCE ALIAS
#808037	RESOURCE TYPE
#808038	RESOURCE NAME SPACE
#808039	FILE SET ABORTED
#80803A	FSH VOLUME SET SEQUENCE
#80803B	FSH PARTITION NUMBER
#80803C	FILE SET HEADER LOCATION
#80803D	FST VOLUME SET SEQUENCE
#80803E	FST PARTITION NUMBER

#80803F	FILE SET TRAILER LOCATION
#808040	CHAR SPEC
#808041	VOLUME SET ALIAS
#808042	VOLUME INDEX LOCATION
#80F000	see annex E
#80F001	see annex E
#80F002	see annex E
#80F003	FILE IS INVALID
#80F100	VOLUME SET SEQUENCE
#80F101	see annex E
#80F102	see annex E
#80F104	MEDIA USAGE COUNT
#80F200	see annex E
#80F201	VOLUME SIZE
#80F202	see annex E
#80F203	POSIX FILE MODE
#80F204	POSIX GROUP OWNER ID
#80F205	see annex E
#80F206	see annex E
#80F207	see annex E
#80F208	see annex E
#80F209	POSIX OWNER ID
#80F20A	see annex E
#80F20B	see annex E
#80F20C	see annex E
#80F20D	POSIX NUMBER OF LINKS
#80F20E	POSIX RDEVICE
#80F20F	POSIX FSID
#80F210	POSIX FILEID
#80F300	see annex E
#80F400	VOLUME SET TIME
#80F401	VOLUME TIME
#80F402	CLOSE TIME
#80F403	FILE SET TIME
#80F404	EXPIRATION TIME
#81EFE6	CANT COMPRESS DATA
#81EFE7	REMOTE DATA ACCESS
#81EFE8	REMOTE DATA INHIBIT

#81EFE9	see annex E
#81EFEA	see annex E
#81EFEB	see annex E
#81EFEC	see annex E
#81EFED	see annex E
#81EFEE	TRANSACTION SET TYPE
#81EFEF	TRANSACTION SET NAME
#81EFF0	see annex E
#81EFF1	see annex E
#81EFF2	TRANSACTION SET TRAILER
#81EFF3	TRANSACTION SET HEADER
#81EFF4	see annex E
#81EFF5	see annex E
#81EFF6	see annex E
#81EFF7	see annex E
#81EFF8	INDEXED
#81EFF9	see annex E
#81EFFA	see annex E
#81EFFB	SOURCE VOLUME TRAILER
#81EFFC	SOURCE VOLUME HEADER
#81EFFD	see annex E
#81EFFE	see annex E
#81EFFF	HEADER DEBUG STRING
#81F0FC	see annex E
#81F0FD	PARENT
#81F0FE	DELETED FLAG
#81F0FF	MODIFIED FLAG
#81F2F6	see annex E
#81F2F7	see annex E
#81F2F8	see annex E
#81F2F9	see annex E
#81F2FA	TOTAL STREAM SIZE
#81F2FC	CREATOR NAME SPACE
#81F2FD	see annex E
#81F2FE	ATTRIBUTES
#81F2FF	see annex E



Annex E

(informative)

Numerical list of Field Identifiers which are deprecated (D) or not specified by this ECMA Standard

#0A	DATA RECORD SEQUENCE (D)
#1A	EXTENDED ATTRIBUTES (D)
#1C	EA VALUE (D)
#2A	CODE PAGE (D)
#23	SPARSE STREAM HEADER (D)
#26	MAC CHARACTERISTICS (D)
#2E	SECTOR ADDRESS (D)
#40	LAST BUFFER IN FILE SET (D)
#41	ACCESS DATE (D)
#42	ARCHIVE TIME (D)
#45	MAC FINDER INFO
#51	ACCESS TIME (D)
#52	ARCHIVE DATE AND TIME (D)
#62	CREATION DATE AND TIME (D)
#72	MODIFIED DATE AND TIME (D)
#8003	MAC SYSTEM SCRIPT
#8004	MAC BLESSED FOLDER
#8007	STREAM MIGRATION KEY
#8042	FILE SET TIME OLD (D)
#8052	FORMAT NAME
#8113	SOURCE DIRECTORY OBJECT DATA
#8114	SOURCE DIRECTORY OBJECT NAME
#8117	ARCHIVER NAME
#8118	TRUSTEE NAME
#8119	OWNER NAME
#811A	SOURCE DIRECTORY OBJECT TRAILER
#8120	MODIFIER NAME
#8121	SUPPORT MODULE ROOT BIT
#8122	TRANSACTION SET DATA STREAM TRAILER (D)
#8123	TRANSACTION SET DATA STREAM HEADER (D)
#8124	TRANSACTION SET TRUSTEE HEADER (D)

#8125	TRANSACTION SET EXTENDED ATTRIBUTES (D)
#8126	TRANSACTION SET MAC CHARACTERISTICS (D)
#8127	TRANSACTION SET CHARACTERISTICS (D)
#8128	TRANSACTION SET PATH NAME (D)
#8129	TRANSACTION SET NAME SPACE (D)
#812A	TRANSACTION SET SEPARATOR POSITIONS (D)
#812B	TRANSACTION SET NAME POSITIONS (D)
#812C	MAC DIR RIGHTS MASK
#812D	MAC PRO DOS INFO
#812E	TRANSACTION SET REQUESTED NAME SPACE (D)
#812F	TRUSTEE
#8130	TRUSTEE ID
#8131	TRUSTEE HEADER
#8132	EA ACCESS
#8133	DIR SPACE RESTRICTIONS
#8134	FTAM CHARACTERISTICS
#8137	OWNER ID
#8138	MODIFIER ID
#8139	LOW MED HIGH SEARCH
#813C	MAC INHIBITIONS
#813D	ARCHIVER ID
#813E	FILE NAME (D)
#8152	INHERITED RIGHTS MASK
#808001	MEDIA OWNER (D)
#808002	CRC TYPE (D)
#80800A	POSIX CHARACTERISTICS (D)
#80800B	HARD LINK PATHNAME
#80800C	HARD LINK USER ID
#80800D	HARD LINK DELIMITER
#808013	MEDIA SECTOR ADDRESS (D)
#80801A	SMM HEADER (D)
#80801B	SMM TYPE (D)
#80801C	SMM PREV FILE MARK (D)
#80801D	SMM NEXT FILE MARK (D)
#80801E	SMM PREV SET MARK (D)
#80801F	SMM NEXT SET MARK (D)

PRIOR MEDIA TYPE (D)

FILE SET INDEX ADDRESS (D)

#808026 #80802C

#80F000	POSIX LINKED FLAG
#80F001	POSIX HARD LINK PATHS
#80F002	POSIX ACS FLAGS
#80F101	MEDIA TYPE (D)
#80F102	SPANNED SECTOR COUNT (D)
#80F200	MEDIA OPEN TIME (D)
#80F202	CLOSE TIME OLD (D)
#80F205	POSIX RDEVICE OLD (D)
#80F206	POSIX NUMBER OF LINKS OLD (D)
#80F207	HARD LINK GROUP ID
#80F208	HARD LINK FILE ACCESS MODE
#80F20A	MY FLAGS
#80F20B	MEDIA OPEN TIME CAL (D)
#80F20C	MS OPEN TIME CAL (D)
#80F300	REVISION LEVEL (D)
#81EFE5	DONT SUB ALLOCATE BIT
#81EFE6	SOURCE VOLUME NAME
#81EFE9	SOURCE VOLUME RESTRICTIONS NAME
#81EFEA	286 BINDERY TRAILER
#81EFEB	286 BINDERY HEADER
#81EFEC	TRANSACTION SET VOLUME RESTRICTIONS (D)
#81EFED	TRANSACTION SET POSIX CHARACTERISTICS (D)
#81EFF0	TRANSACTION SET FILE TRAILER (D)
#81EFF1	TRANSACTION SET FILE HEADER (D)
#81EFF4	SOURCE VOLUME RESTRICTIONS LIMIT
#81EFF5	SOURCE VOLUME RESTRICTIONS ID
#81EFF7	SOURCE VOLUME RESTRICTIONS
#81EFF9	BINDERY TRAILER)
#81EFFA	BINDERY HEADER
#81EFFD	OTHER INFO
#81EFFE	MEDIA SET LABEL (D)
#81F0FC	POSIX FIRST CREATOR FLAG
#81F2F6	ARCHIVE TIME (D)
#81F2F7	MODIFIED TIME (D)
#81F2F8	CREATE TIME (D)
#81F2F9	ACCESSED TIME (D)
#81F2FD	CREATOR ID
#81F2FF	MEDIA SET OPEN TIME (D)

This Standard ECMA-208 is available free of charge from:

ECMA 114 Rue du Rhône CH-1204 Geneva Switzerland

Fax: +41 22 849.60.01 Internet: helpdesk@ecma.ch

This Standard can also be downloaded as file E208-DOC.EXE or E208-PSC.EXE from ECMANEWS